

Supplementary Table 1. Unadjusted Outcomes Stratified by RACHS-1 Category

| RACHS-1 Category 1 | Overall | No Aprotinin | Aprotinin | p |
|-----------------------------|----------------|---------------------|------------------|----------|
| Mortality | 20 (0.78) | 8 (0.4) | 12 (1.7) | <0.001 |
| Dialysis | 4 (0.2) | 2 (0.1) | 2 (0.3) | 0.302 |
| Total length of stay | 3 [3, 5] | 3 [3, 5] | 4 [3, 5] | <0.001 |
| ICU length of stay | 1 [1, 3] | 1 [1, 2] | 2 [1, 3] | 0.205 |
| RACHS-1 Category 2 | | | | |
| Mortality | 124 (1.1) | 77 (1.2) | 47 (1.0) | 0.272 |
| Dialysis | 33 (0.3) | 20 (0.3) | 13 (0.3) | 0.695 |
| Total length of stay | 5 [4, 10] | 6 [4, 10] | 5 [4, 9] | 0.250 |
| ICU length of stay | 3 [1, 5] | 3 [1, 5] | 3 [1, 5] | 0.079 |
| RACHS-1 Category 3 | | | | |
| Mortality | 318 (2.7) | 190 (3.0) | 128 (2.3) | 0.019 |
| Dialysis | 126 (1.1) | 60 (0.9) | 66 (1.2) | 0.203 |
| Total length of stay | 9 [5, 17] | 9 [5, 18] | 8 [5, 16] | 0.002 |
| ICU length of stay | 4 [2, 8] | 4 [2, 8] | 4 [2, 7] | 0.014 |
| RACHS-1 Category 4 | | | | |
| Mortality | 237 (7.4) | 118 (7.2) | 119 (7.6) | 0.609 |
| Dialysis | 83 (2.6) | 41 (2.5) | 42 (2.7) | 0.714 |
| Total length of stay | 15 [9, 28] | 16 [9, 28] | 15 [8, 28] | 0.106 |
| ICU length of stay | 7 [2, 13] | 6 [2, 13] | 7 [2, 14] | 0.054 |
| RACHS-1 Category 5/6 | | | | |
| Mortality | 265 (16.8) | 139 (16.9) | 126 (16.6) | 0.878 |
| Dialysis | 85 (5.37) | 38 (4.62) | 47 (6.19) | 0.165 |
| ICU length of stay | 26 [17, 43] | 26 [17, 45] | 26 [17, 43] | 0.455 |
| ICU length of stay | 13 [6, 24] | 13 [6, 25] | 13 [6, 24] | 0.945 |

Data are displayed as n (%) for dichotomous variables and median (IQR) for continuous variables.