

Supporting information

Perturbing pro-survival proteins using quinoxaline derivatives: A structure activity relationship study

Rajkumar Rajule^{a, #}, Vashti C. Bryant^{a, #}, Hernando Lopez^{a, #}, Xu Luo^a and Amarnath Natarajan^{a, b, *}

^a*Eppley Institute for Cancer Research*, ^b*Department of Pharmaceutical Sciences, University of Nebraska Medical Center, Omaha, NE 68198*



Table of content

| | |
|--|----------------|
| Representative images for Figure 4 | S2-S5 |
| Representative images for Figure 6 | S6 |
| Images corresponding to Figure 9 | S7-S9 |
| ¹H-NMR 500 MHz, ¹³C-NMR 125 MHz, LC-MS of compound 1h | S10-S13 |

* Amarnath Natarajan. Tel.: +1-402-559-3793; fax: +1-402-559-8270; e-mail: anatarajan@unmc.edu.[#] Equal contribution

Figure S1: Representative images for Figure 4.



Untreated



- Dox

+ Dox



DMSO



- Dox

+ Dox



Camptothecin (50 μ M)



- Dox

+ Dox



1h (10 μ M)



- Dox

+ Dox



1p (10 μ M)



- Dox

+ Dox



1q (10 μ M)



- Dox

+ Dox



1r (10 μ M)



- Dox

+ Dox



1s (10 μ M)



- Dox

+ Dox



1t (10 μ M)



- Dox

+ Dox



1u (10 μ M)



- Dox

+ Dox

1v (10 μ M)




- Dox


+ Dox

Figure S2: Representative images that correspond to Figure 6


Untreated



Dox-GFP




Dox-Noxa




Dox-Bad3SA


Dox + DMSO



Dox-GFP




Dox-Noxa




Dox-Bad3SA


Dox + ABT-737 (1 μ M)



Dox-GFP




Dox-Noxa




Dox-Bad3SA


Dox + **1h** (10 μ M)



Dox-GFP





Dox-Noxa





Dox-Bad3SA

Figure S3. Images corresponding to Figure 9



Untreated





DMSO





ABT-737 @ 1 μ M





1h @ 1 μ M





1h @ 5 μ M





1h @ 10 μ M





ABT-737 @ 1 μ M and 1h @ 1 μ M




ABT-737 @ 1 μ M and 1h @ 5 μ M






ABT-737 @ 1 μ M and 1h @ 10 μ M






1h







1h

