

Supporting information

Evaluation of colloids and activation agents for determination of melamine using UV-SERS

Evelyn Kämmer^{1,3,†} Thomas Dörfer^{1,3,†} Andrea Csáki³
Wilm Schumacher¹ Paulo Augusto Da Costa Filho² Nicolae Tarcea¹
Wolfgang Fritzsche³ Petra Rösch¹ Michael Schmitt¹ Jürgen Popp^{1,3,*}

February 29, 2012

¹ Institute of Physical Chemistry
and Abbe Center of Photonics
Friedrich Schiller University
Helmholtzweg 4, D-07743 Jena
Germany

² Quality and Safety Department
Nestlé Research Center
Vers-Chez-Les-Blanc,
1000 Lausanne 26
Switzerland

³ Institute of Photonic Technology
Albert-Einstein-Strasse 9, 07745 Jena
Germany
Tel. +49(0)3641-206300

[†]This document is a collaborative effort of Evelyn Kämmer & Thomas Dörfer and they contributed equally to the presented work.

*Corresponding author: juergen.popp@uni-jena.de




Figure S1: (A) SEM image of Pt48; (B) SEM image of Pt73; (C) SEM image of Pt107 and (D) TEM image of Pd20




Figure S2: TEM images of (A) Ag23; (B) Ag225; (C) Ag125; (D) Ag100 and (E) Ag50




Figure S3: (A) SEM image of Au₃₅; (B) TEM image of Au₁₂₀; (C) SEM image of AuAg₃₀ and (D) TEM image of AgAu₂₅