

The sequence of the *Kluyveromyces lactis* BiP gene

M.J. Lewis and H.R.B. Pelham

MRC Laboratory of Molecular Biology, Hills Road, Cambridge CB2 2QH, UK

Submitted September 24, 1990

EMBL accession no. X54709

The BiP gene has been shown to encode a member of the HSP 70 family which is a resident of the endoplasmic reticulum (E.R.) lumen and plays a role in protein folding and oligomerisation (2, 3). In *S. cerevisiae* BiP has been shown to be the product of the *KAR2* gene, which is required for nuclear fusion (4).

We have recently reported the cloning of the *Kluyveromyces lactis* homologue of the BiP gene (1), in order to identify the C-terminal E.R. retention signal. We present here the complete sequence and deduced amino acid sequence.

The gene was cloned from a mini library of *K. lactis* genomic DNA by low stringency hybridisation to a probe derived from the *S. cerevisiae* gene and encodes the features expected of the BiP gene, including a hydrophobic leader sequence and an E.R. retention signal, which in the case of *K. lactis* has proved to be

Asp-Asp-Glu-Leu as opposed to the His-Asp-Glu-Leu used in *S. cerevisiae*. The sequence also encodes a potential N-linked glycosylation site at amino acid 618, a feature not previously noted in BiP sequences from other species. It is not known whether this site is used *in vivo*. The deduced protein sequence is 77.3% identical to that of *S. cerevisiae* BiP and 61% to that of rat BiP.

REFERENCES

1. Lewis, M.J., Sweet, D.J. and Pelham, H.R.B. (1990) *Cell* **61**, 1359–1363.
 2. Munro, S. and Pelham, H.R.B. (1986) *Cell* **46**, 291–300.
 3. Pelham, H.R.B. (1989) *Ann. Rev. Cell Biol.* **5**, 1–23.
 4. Rose, M.D., Misra, L.M. and Vogel, J.P. (1989) *Cell* **57**, 1211–1271.

MF SARKSSVGLVSSLAVFYVLLAVIMPIALTGSQSSRVRVAAEADHEDYGTIVIGDLS

 MF NFRSLAGKLLVPLSVALRFLVPLPQ-NFSFHSSNVLWGRADDVNENYTVGIGDLS

 TYSVCAVMRNGKTIELLANEBCGRPTPSVYVTFDBDLEDAAKQKAASNKNTFIDPIKRT

 TYSVCAVMRNGKTIELLANEBCGRPTPSVYVTFDBDLEDAAKQKAASNKNTFIDPIKRT

 IGLQYNDPFVTQBDIHLIPYTVNWKGNKPYVEVTVNGKEKEFTPEEVSGMLGKMKQIAE

 IGLKYNDNRSVQKDIKHLPPNVNWKDGPKADEVSVKGKEKVTPPEIESQMLGKMKQIAE

 YLGKVKTHAVTVPAVFNDQARQATKDAGIAQLGNLIR1VNEPTEAAAAYGLDKTDHEE

 YLGKVKTHAVTVPAVFNDQARQATKDAGIAQLGNLIR1VNEPTEAAAAYGLDKSDKEH

 IIVYDLGGTFDVSLSLISIENGFEVQATGDGTHLGGEDFDYKLVRHFAQLFOQKXHDL

 IIVYDLGGTFDVSLSLISIENGFEVQATGDGTHLGGEDFDYKLIVRQLIKAFKKHHGIDV

 KNDKAMAKLKRKEAKRSLSSQTSTRIEDSFVNGIDFSETLTTRAKFEELNLJALFKT

 DNNKALAKLKRKEAKRSLSSQTSTRIEDSFVNGIDLSETLTTRAKFEELNLJALFKT

 KPVKEVLDLQDSGLQKEDIDODIVLVGGSTRIPKVQOLLEKFFNGKKASKGKINPDEAVAYG

 KPVKEVLDLQDSGLERKQDVDDIVLVGGSTRIPKVQOLLESYFDGKASKGKINPDEAVAYG

 VQAGVLSGEEGVEDIVLVDLNVAATLTLGIETTGGVMTPLIKRNTAIPTKKSQIFSTAVDN

 VQAGVLSGEEGVEDIVLVDLNVAATLTLGIETTGGVMTPLIKRNTAIPTKKSQIFSTAVDN

 AVRIQYEGERGRAMYKDNNLGNFELSDIRAAPRGPQVPIEVTFALDANGILTVSATOKT

 TVMIVKYEGERGRMSKDNNLGNFKELTGIPPAAPRGVPQIEVTFALDANGILKVSATOKT

 KSE5ITITNDKGRLSQDDIDRMVEEAKEYAEEADFKAKSEARNFTENFHVHYVKNNSVG

 KSE5ITITNDKGRLTQEEDIDRMVEEAKEYFAESDASIKAVESRNKLENYAHSLKNQVG

 LAEIMDDEKETTVLDNNVNESELELDNSDVAEAEADFEEKMASFKECSVEPIAKASASOG

 LGEKLEEDEEADNNDLNFETIAEADDFDEKFESLSKVAYPITSKLYGGA

 TSGEF-F-EDEDD-DYDF-DEL *K. lactis*

 -SGAANYDDEDFDGDMEFEEDEI *S. cerevisiae*