

**Table S3 Protein sequences used in the phylogenetic analysis of MoTeR1**

Name	Organism	Genbank Accession	Reference	Pubmed ref
Bilbo	<i>Drosophila subobscura</i>	AAB92389.1	(Blesa and Martinez-Sebastian 1997)	9364772
CR1	<i>Gallus gallus</i>	AAA49027.1	(Burch <i>et al.</i> 1993)	8396264
Doc	<i>Drosophila melanogaster</i>	CAA35587.1	(O'hare <i>et al.</i> 1991)	1705654
F	<i>Drosophila melanogaster</i>	AAA28508	(Di Nocera and Casari 1987)	2441397
Jockey	<i>Drosophila funebris</i>	P21329	(Mizrokh and Mazo 1990)	1701254
Juan	<i>Aedes aegypti</i>	AAA29354.1	(Mouches <i>et al.</i> 1992)	1327974
Lian	<i>Aedes aegypti</i>	AAB65093.1	(Tu <i>et al.</i> 1998)	9656485
MGR583	<i>Magnaporthe grisea</i>	AAB71689.1	(Meyn <i>et al.</i> ) (Nishimura <i>et al.</i> 2000)	10939262
NeSL1(Cb)	<i>Caenorhabditis briggsae</i>	AAZ15238.1	(Novikova and Blinov 2005)	
NeSL1(Ce)	<i>Caenorhabditis elegans</i>	T25782	(Bradshaw 1996)	
NLR1	<i>Chironomus thummi</i>	AAB26437.2	(Blinov <i>et al.</i> 1993)	8387152
Q	<i>Anopheles gambiae</i>	AAA53489.1	(Besansky <i>et al.</i> 1994)	8069416
R1(Bm)	<i>Bombyx mori</i>	AAC13649.1	(Xiong and Eickbush 1988)	2447482
R1(Dm)	<i>Drosophila melanogaster</i>	P16425.1	(Jakubczak <i>et al.</i> 1990)	1690812
RT1	<i>Anopheles gambiae</i>	AAA29363	(Besansky <i>et al.</i> 1992)	1328871
RT2	<i>Anopheles gambiae</i>	AAA29365.1	(Besansky <i>et al.</i> 1992)	1328871
SART1	<i>Bombyx mori</i>	BAA19776.1	(Takahashi <i>et al.</i> 1997)	9092665
SR1	<i>Schistosoma mansoni</i>	AAC06263.1	(Drew and Brindley 1997)	9190061
Tad1	<i>Neurospora crassa</i>	AAA21792.1	(Cambareri <i>et al.</i> 1994)	7512193
TAHRE	<i>Drosophila melanogaster</i>	CAD65869.1	(Abad <i>et al.</i> 2004)	15175413
TART-B1	<i>Drosophila melanogaster</i>	T13173	(Sheen and Levis 1994)	7809068
TRAS	<i>Bombyx mori</i>	BAA07467.1	(Okazaki <i>et al.</i> 1995)	7623845
Dong	<i>Bombyx mori</i>	AAA92147	(Xiong and Eickbush 1993)	8385316
L1(clf)	<i>Canis lupus familiaris</i>	BAA25253.1	(Choi <i>et al.</i> 1999)	10050284

Name	Organism	Genbank Accession	Reference	Pubmed ref
L1(h)	<i>Homo sapiens</i>	AAC51276.1	(Sassaman <i>et al.</i> 1997)	9140393
L1(mm)	<i>Mus musculus</i>	P11369.2	(Loeb <i>et al.</i> 1986)	3023821
R2(Bm)	<i>Bombyx mori</i>	T18197	(Burke <i>et al.</i> 1987)	2439905
R2(Dm)	<i>Drosophila mercatorum</i>	AAB94032.1	(Malik and Eickbush 1999)	9927458
R4	<i>Ascaris lumbricoides</i>	S60004	(Burke <i>et al.</i> 1995)	8524653
Swimmer [SW1]	<i>Oryzias latipes</i>	AAD02928.1	(Duvernell and Turner 1998)	9866212
TX1	<i>Xenopus laevis</i>	P14381.1	(Garrett <i>et al.</i> 1989)	2550791
ZEPP	<i>Chlorella vulgaris</i>	BAA25763	(Higashiyama <i>et al.</i> 1997)	9218812
Zorro1	<i>Candida albicans</i> SC5314	XP_710131.1	(Jones <i>et al.</i> 2004)	15123810
Zorro3	<i>Candida albicans</i> SC5314	XP_710326.1	(Jones <i>et al.</i> 2004)	15123810
Cnl1	<i>Cryptococcus neoformans</i> var. <i>neoformans</i>	XP_567259.1	(Goodwin and Poulter 2001)	11427969
	JEC21			
CRE1	<i>Crithidia fasciculata</i>	AAA75435.2	(Gabriel <i>et al.</i> 1990)	2153919
CZAR	<i>Trypanosoma cruzi</i>	B41950	(Villanueva <i>et al.</i> 1991)	1719380
FoNLR9	<i>Fusarium oxysporum</i>	N/A	(Novikova <i>et al.</i> 2009)	18677522
Genie	<i>Giardia intestinalis</i>	AAL76330.1	(Burke <i>et al.</i> 2002)	11961096
GIIT	<i>Giardia intestinalis</i>	ABB04054.1	(Prabhu <i>et al.</i> 2007)	17275000
MoTER1	<i>Magnaporthe oryzae</i>	N/A	Current Paper	
SLACS1	<i>Trypanosoma brucei</i>	XP_827644.1	(Berriman <i>et al.</i> 2005)	16020726
Colg2	mitochondrion <i>Podospora anserine</i>	CAA38781.1	(Cummings <i>et al.</i> 1985)	2997455
CoxI	mitochondrion <i>Marchantia polymorpha</i>	AAC09454.1	(Oda <i>et al.</i> 1992)	1731062
Ec107	<i>Escherichia coli</i>	CAA44468.1	(Herzer <i>et al.</i> 1992)	1372675
ECO157	<i>Escherichia coli</i> O157:H7 str. Sakai]	NP_052642.1	(Makino <i>et al.</i> 1998)	9628576
Mx162	<i>Myxococcus xanthus</i>	P23072.1	(Inouye <i>et al.</i> 1989)	2465092
Mx65	<i>Myxococcus xanthus</i>	P23071.1	(Inouye <i>et al.</i> 1990)	1689062
Pstso	chloroplast <i>Scenedesmus obliquus</i>	P19593.1	(Kuck 1989)	2476655

Name	Organism	Genbank Accession	Reference	Pubmed ref
RET(Ec)	<i>Escherichia coli</i>	CAA78293.1	(Lim 1992)	1282191
RT67	<i>Escherichia coli</i>	P21325.1	(Lampson <i>et al.</i> 1989)	2466332
RT86	<i>Escherichia coli</i>	P23070.1	(Lim and Maas 1989)	2466573
1731	<i>Drosophila melanogaster</i>	S00954	(Fourcade-Peronnet <i>et al.</i> 1988)	2456522
RETRO5	<i>Magnaporthe oryzae</i>	N\A	(Dean <i>et al.</i> 2005)	15846337
Ta1-2	<i>Arabidopsis thaliana</i>	CAA37920.1	(Konieczny <i>et al.</i> 1991)	1709409
TNT1	<i>Nicotiana tabacum</i>	P10978.1	(Grandbastien <i>et al.</i> 1989)	2536143
TY1	<i>Saccharomyces cerevisiae</i>	P47100.3	(Zagulski <i>et al.</i> 1995)	8619316
Ty4	<i>Saccharomyces cerevisiae</i>	P47024.2	(Janetzky and Lehle 1992)	1328182
Ty5	<i>Saccharomyces paradoxus</i>	AAC02631.1	(Zou <i>et al.</i> 1995)	7846079
Grasshopper [GH]	<i>Magnaporthe oryzae</i>	AAA21442.1	(Dobinson <i>et al.</i> 1993)	7679935
MAGGY	<i>Magnaporthe oryzae</i>	AAA33420.1	(Farman <i>et al.</i> 1996)	8757397
MGLR3	<i>Magnaporthe oryzae</i>	AAK01619.1	(Kang 2001)	11277622
Pyret2	<i>Magnaporthe oryzae</i>	XP_360100.2	(Dean <i>et al.</i> 2005)	15846337
RETRO61	<i>Magnaporthe oryzae</i>		(Dean <i>et al.</i> 2005)	15846337
RETRO71	<i>Magnaporthe oryzae</i>	N\A	(Dean <i>et al.</i> 2005)	15846337
Skippy	<i>Fusarium oxysporum</i>	S60179	(Anaya and Roncero 1995)	8544829
17.6	<i>Drosophila melanogaster</i>	P04323.1	(Saigo <i>et al.</i> 1984)	6209583
297	<i>Drosophila melanogaster</i>	P20825.1	(Inouye <i>et al.</i> 1986)	2417839
412	<i>Drosophila melanogaster</i>	P10394.1	(Yuki <i>et al.</i> 1986)	2426108
Cinful	<i>Zea mays</i>	AAD11615.1	(Sanz-Alferez <i>et al.</i> 2003)	14608391
Gypsy	<i>Drosophila melanogaster</i>	P10401.1	(Marlor <i>et al.</i> 1986)	3023871
RTSb	<i>Sorghum bicolor</i>	AAD27571.1	(Llaca <i>et al.</i> 1998)	
TY3	<i>Saccharomyces cerevisiae</i>	Q7LHG5.2	(Hansen <i>et al.</i> 1988)	2854194
BSV	<i>Banana streak OL virus</i>	NP_569150.1	(Harper and Hull 1998)	9926402

Name	Organism	Genbank Accession	Reference	Pubmed ref
CSV	<i>Cacao swollen shoot virus</i>	NP_041734.1	(Hagen <i>et al.</i> 1993)	7690503
CsVMV	<i>Cassava vein mosaic virus</i>	NP_056848.1	(De Kochko <i>et al.</i> 1998)	9645200
FMV	<i>Figwort mosaic virus</i>	NP_619548.1	(Richins <i>et al.</i> 1987)	3671088
PCSV	<i>Peanut chlorotic streak virus</i>	NP_042513.1	(Richins 1993)	
SVBV	<i>Strawberry vein banding virus</i>	NP_043933.1	(Petrzik <i>et al.</i> 1998)	9654684
BFV	<i>Bovine foamy virus</i>	NP_044929.1	(Renshaw and Casey 1994)	8289332
FFV	<i>Feline foamy virus</i>	NP_056914.1	(Bodem <i>et al.</i> 1998)	9601510
SFV	<i>Macaque simian foamy virus (SFVmac)</i>	YP_001961122.1	(Kupiec <i>et al.</i> 1991)	1647358
<hr/>				
BaEV	<i>Baboon endogenous virus strain M7</i>	P10272.1	(Kato <i>et al.</i> 1987)	
BIV	<i>Bovine immunodeficiency virus R29</i>	P19560.2	(Garvey <i>et al.</i> 1990)	2183467
BLV	<i>Bovine leukemia virus</i>	P25059.1	(Coulston <i>et al.</i> 1990)	2167927
CAEV	<i>Caprine arthritis encephalitis virus strain Cork</i>	P33459.1	(Saltarelli <i>et al.</i> 1990)	2171210
FIV	<i>Feline immunodeficiency virus (isolate TM2)</i>	P31822.1	(Kiyomasu <i>et al.</i> 1991)	1649349
HIV1	<i>Human immunodeficiency virus type 1 (MAL ISOLATE)</i>	P04588.3	(Alizon <i>et al.</i> 1986)	2424612
HTLV	<i>Human T-cell lymphotropic virus type 1 (strain ATK)</i>	P03362.3	(Seiki <i>et al.</i> 1983)	3021121
JDV	<i>Jembrana disease virus</i>	Q82851.1	(Chadwick <i>et al.</i> 1995)	9049370
MLV	<i>AKR (endogenous) murine leukemia virus</i>	P03356.2	(Herr 1984)	6319746
RSV	<i>Rous sarcoma virus - Prague C</i>	P03354.1	(Schwartz <i>et al.</i> 1983)	6299578
SRV	<i>Simian retrovirus 1</i>	P04025.1	(Power <i>et al.</i> 1986)	3006247
DHBV	<i>Duck hepatitis B virus strain China</i>	P30028.1	(Tong <i>et al.</i> 1990)	2235506
HBV	<i>Hepatitis B virus</i>	NP_647604.2	(Okamoto <i>et al.</i> 1986)	3783127
WHV	<i>Woodchuck hepatitis virus 59</i>	P12899.1	(Cohen <i>et al.</i> 1988)	3336938
TERT(At)	<i>Arabidopsis thaliana</i>	AAD54276.1	(Fitzgerald <i>et al.</i> 1999)	10611295

Name	Organism	Genbank Accession	Reference	Pubmed ref
TERT(GI)	<i>Giardia lamblia</i> ATCC 50803	XP_001709571.1	(Morrison <i>et al.</i> 2007)	17901334
TERT(Hs)	<i>Homo sapiens</i> (human)	NP_937983.2	(Lingner <i>et al.</i> 1997)	9110970
TERT(Mg)	<i>Magnaporthe oryzae</i>	XP_363691.1	(Dean <i>et al.</i> 2005)	15846337
TERT(Sp)	<i>Schizosaccharomyces pombe</i>	AAC49803.1	(Nakamura <i>et al.</i> 1997)	9252327
Athena(AvO)	<i>Adineta vaga</i>	N/A	(Gladyshev and Arkhipova 2007)	17483479
Athena(PrB)	<i>Philodina roseola</i>	N/A	(Gladyshev and Arkhipova 2007)	17483479
Cercyon	<i>Schistosoma mansoni</i>	DAA00890.1	(Arkhipova <i>et al.</i> 2003)	12524543
Coprina	<i>Phanerochaete chrysosporium</i>	AAX11377.1	(Goodwin and Poulter)	
Neptune(Dr1)	<i>Danio rerio</i>	N/A	(Gladyshev and Arkhipova 2007)	17483479
Neptune(Dr2)	<i>Danio rerio</i>	N/A	(Gladyshev and Arkhipova 2007)	17483479
Penelope	<i>Drosophila virilis</i>	AAA92124.2	(Evgenev <i>et al.</i> 1997)	8990185
Xena	<i>Takifugu rubripes</i> ( <i>Fugu rubripes</i> )	AAK58879.1	(Nogare <i>et al.</i> 2002)	11861884

### References for sequences listed in Table S3

- Abad, J. P., B. De Pablos, K. Osoegawa, P. J. De Jong, A. Martin-Gallardo *et al.*, 2004 TAHRE, a novel telomeric retrotransposon from *Drosophila melanogaster*, reveals the origin of Drosophila telomeres. *Mol. Biol. Evol.* 21: 1620-1624.
- Alizon, M., S. Wainhobson, L. Montagnier, and P. Sonigo, 1986 Genetic-variability of the aids virus - nucleotide-sequence analysis of 2 isolates from African patients. *Cell* 46: 63-74.
- Anaya, N., and M. I. Roncero, 1995 Skippy, a retrotransposon from the fungal plant pathogen *Fusarium oxysporum*. *Mol. Gen. Genet.* 249: 637-647.
- Arkipova, I. R., K. I. Pyatkov, M. Meselson, and M. B. Evgen'ev, 2003 Retroelements containing introns in diverse invertebrate taxa. *Nat. Genet.* 33: 123-124.
- Berriman, M., E. Ghedin, C. Hertz-Fowler, G. Blandin, H. Renaud *et al.*, 2005 The genome of the African trypanosome *Trypanosoma brucei*. *Science* 309: 416-422.
- Besansky, N. J., J. A. Bedell, and O. Mukabayire, 1994 Q: a new retrotransposon from the mosquito *Anopheles gambiae*. *Insect Mol Biol* 3: 49-56.
- Besansky, N. J., S. M. Paskewitz, D. M. Hamm, and F. H. Collins, 1992 Distinct families of site-specific retrotransposons occupy identical positions in the rRNA genes of *Anopheles gambiae*. *Mol Cell Biol* 12: 5102-5110.
- Blesa, D., and M. J. Martinez-Sebastian, 1997 bilbo, a non-LTR retrotransposon of *Drosophila subobscura*: a clue to the evolution of LINE-like elements in Drosophila. *Mol Biol Evol* 14: 1145-1153.
- Blinov, A. G., Y. V. Sobanov, S. S. Bogachev, A. P. Donchenko, and M. A. Filippova, 1993 The *Chironomus thummi* genome contains a non-LTR retrotransposon. *Mol Gen Genet* 237: 412-420.
- Bodem, J., M. Lochelt, H. Delius, and R. M. Flugel, 1998 Detection of subgenomic cDNAs and mapping of Feline Foamy Virus mRNAs reveals complex patterns of transcription. *Virology* 244: 417-426.
- Bradshaw, H., 1996 Direct submission T25782, pp.
- Burch, J. B., D. L. Davis, and N. B. Haas, 1993 Chicken repeat 1 elements contain a pol-like open reading frame and belong to the non-long terminal repeat class of retrotransposons. *Proc Natl Acad Sci U S A* 90: 8199-8203.
- Burke, W. D., C. C. Calalang, and T. H. Eickbush, 1987 The site-specific ribosomal insertion element type II of *Bombyx mori* (R2Bm) contains the coding sequence for a reverse transcriptase-like enzyme. *Mol Cell Biol* 7: 2221-2230.

- Burke, W. D., H. S. Malik, S. M. Rich, and T. H. Eickbush, 2002 Ancient lineages of non-LTR retrotransposons in the primitive eukaryote, *Giardia lamblia*. *Mol Biol Evol* 19: 619-630.
- Burke, W. D., F. Muller, and T. H. Eickbush, 1995 R4, a non-LTR retrotransposon specific to the large subunit rRNA genes of nematodes. *Nucleic Acids Res* 23: 4628-4634.
- Cambareri, E. B., J. Helber, and J. A. Kinsey, 1994 Tad1-1, an active LINE-like element of *Neurospora crassa*. *Mol Gen Genet* 242: 658-665.
- Chadwick, B. J., R. J. Coelen, G. E. Wilcox, L. M. Sammels, and G. Kertayadnya, 1995 Nucleotide sequence analysis of Jembrana Disease Virus - a bovine lentivirus associated with an acute disease syndrome. *J. Gen. Virol.* 76: 1637-1650.
- Choi, Y., N. Ishiguro, M. Shinagawa, C. J. Kim, Y. Okamoto *et al.*, 1999 Molecular structure of canine LINE-1 elements in canine transmissible venereal tumor. *Anim Genet* 30: 51-53.
- Cohen, J. I., R. H. Miller, B. Rosenblum, K. Denniston, J. L. Gerin *et al.*, 1988 Sequence comparison of Woodchuck Hepatitis Virus replicative forms shows conservation of the genome. *Virology* 162: 12-20.
- Coulston, J., H. Naif, R. Brandon, S. Kumar, S. Khan *et al.*, 1990 Molecular cloning and sequencing of an Australian isolate of proviral bovine leukemia virus DNA - comparison with other isolates. *J. Gen. Virol.* 71: 1737-1746.
- Cummings, D. J., I. A. Macneil, J. Domenico, and E. T. Matsuura, 1985 Excision-amplification of mitochondrial DNA during senescence in *Podospora anserina*. DNA sequence analysis of three unique "plasmids". *J Mol Biol* 185: 659-680.
- De Kochko, A., B. Verdaguer, N. Taylor, R. Carcamo, R. N. Beachy *et al.*, 1998 Cassava Vein Mosaic Virus (CsVMV), type species for a new genus of plant double stranded DNA viruses? *Arch Virol* 143: 945-962.
- Dean, R. A., N. J. Talbot, D. J. Ebbbole, M. L. Farman, T. K. Mitchell *et al.*, 2005 The genome sequence of the rice blast fungus *Magnaporthe grisea*. *Nature* 434: 980-986.
- Di Nocera, P. P., and G. Casari, 1987 Related polypeptides are encoded by Drosophila F elements, I factors, and mammalian L1 sequences. *Proc. Natl. Acad. Sci. U S A* 84: 5843-5847.
- Dobinson, K. F., R. E. Harris, and J. E. Hamer, 1993 Grasshopper, a long terminal repeat (LTR) retroelement in the phytopathogenic fungus *Magnaporthe grisea*. *Mol Plant Microbe Interact* 6: 114-126.
- Drew, A. C., and P. J. Brindley, 1997 A retrotransposon of the non-long terminal repeat class from the human blood fluke *Schistosoma mansoni*. Similarities to the chicken-repeat-1-like elements of vertebrates. *Mol Biol Evol* 14: 602-610.

- Duvernell, D. D., and B. J. Turner, 1998 Swimmer 1, a new low-copy-number LINE family in teleost genomes with sequence similarity to mammalian L1. *Mol Biol Evol* 15: 1791-1793.
- Evgenev, M. B., H. Zelentsova, N. Shostak, M. Kozitsina, V. Barskyi *et al.*, 1997 Penelope, a new family of transposable elements and its possible role in hybrid dysgenesis in *Drosophila virilis*. *Proc Natl Acad Sci, USA* 94: 196-201.
- Farman, M. L., Y. Tosa, N. Nitta, and S. A. Leong, 1996 MAGGY, a retrotransposon in the genome of the rice blast fungus *Magnaporthe grisea*. *Mol Gen Genet* 251: 665-674.
- Fitzgerald, M. S., K. Riha, F. Gao, S. X. Ren, T. D. McKnight *et al.*, 1999 Disruption of the telomerase catalytic subunit gene from *Arabidopsis* inactivates telomerase and leads to a slow loss of telomeric DNA. *Proc Natl Acad Sci, USA* 96: 14813-14818.
- Fourcade-Peronnet, F., L. D'auriol, J. Becker, F. Galibert, and M. Best-Belpomme, 1988 Primary structure and functional organization of *Drosophila* 1731 retrotransposon. *Nucleic Acids Res* 16: 6113-6125.
- Gabriel, A., T. J. Yen, D. C. Schwartz, C. L. Smith, J. D. Boeke *et al.*, 1990 A rapidly rearranging retrotransposon within the miniexon gene locus of *Critchidia fasciculata*. *Mol Cell Biol* 10: 615-624.
- Garrett, J. E., D. S. Knutson, and D. Carroll, 1989 Composite transposable elements in the *Xenopus laevis* genome. *Mol Cell Biol* 9: 3018-3027.
- Garvey, K. J., M. S. Oberste, J. E. Elser, M. J. Braun, and M. A. Gonda, 1990 Nucleotide sequence and genome organization of biologically active proviruses of the bovine immunodeficiency-like virus. *Virology* 175: 391-409.
- Gladyshev, E. A., and I. R. Arkhipova, 2007 Telomere-associated endonuclease-deficient Penelope-like retroelements in diverse eukaryotes. *Proc Natl Acad Sci, USA* 104: 9352-9357.
- Goodwin, T. J., and R. T. Poulter, Penelope-like retroelements in fungi, pp.
- Goodwin, T. J., and R. T. Poulter, 2001 The diversity of retrotransposons in the yeast *Cryptococcus neoformans*. *Yeast* 18: 865-880.
- Grandbastien, M. A., A. Spielmann, and M. Caboche, 1989 Tnt1, a mobile retroviral-like transposable element of tobacco isolated by plant cell genetics. *Nature* 337: 376-380.
- Hagen, L. S., M. Jacquemond, A. Lepingle, H. Lot, and M. Tepfer, 1993 Nucleotide sequence and genomic organization of Cacao Swollen Shoot Virus. *Virology* 196: 619-628.
- Hansen, L. J., D. L. Chalker, and S. B. Sandmeyer, 1988 Ty3, a yeast retrotransposon associated with tRNA genes, has homology to animal retroviruses. *Mol Cell Biol* 8: 5245-5256.

- Harper, G., and R. Hull, 1998 Cloning and sequence analysis of Banana Streak Virus DNA. *Virus Genes* 17: 271-278.
- Herr, W., 1984 Nucleotide sequence of AKV Murine Leukemia Virus. *J Virol* 49: 471-478.
- Herzer, P. J., S. Inouye, and M. Inouye, 1992 Retron-Ec107 is inserted into the *Escherichia coli* genome by replacing a palindromic 34bp intergenic sequence. *Mol Microbiol* 6: 345-354.
- Higashiyama, T., Y. Noutoshi, M. Fujie, and T. Yamada, 1997 Zepp, a LINE-like retrotransposon accumulated in the Chlorella telomeric region. *EMBO J* 16: 3715-3723.
- Inouye, S., P. J. Herzer, and M. Inouye, 1990 Two independent retrons with highly diverse reverse transcriptases in *Myxococcus xanthus*. *Proc Natl Acad Sci U S A* 87: 942-945.
- Inouye, S., M. Y. Hsu, S. Eagle, and M. Inouye, 1989 Reverse transcriptase associated with the biosynthesis of the branched RNA-linked msDNA in *Myxococcus xanthus*. *Cell* 56: 709-717.
- Inouye, S., S. Yuki, and K. Saigo, 1986 Complete nucleotide sequence and genome organization of a Drosophila transposable genetic element, 297. *Eur J Biochem* 154: 417-425.
- Jakubczak, J. L., Y. Xiong, and T. H. Eickbush, 1990 Type I (R1) and type II (R2) ribosomal DNA insertions of *Drosophila melanogaster* are retrotransposable elements closely related to those of *Bombyx mori*. *J Mol Biol* 212: 37-52.
- Janetzky, B., and L. Lehle, 1992 Ty4, a new retrotransposon from *Saccharomyces cerevisiae*, flanked by tau-elements. *J Biol Chem* 267: 19798-19805.
- Jones, T., N. A. Federspiel, H. Chibana, J. Dungan, S. Kalman *et al.*, 2004 The diploid genome sequence of *Candida albicans*. *Proc Natl Acad Sci U S A* 101: 7329-7334.
- Kang, S., 2001 Organization and distribution pattern of MGLR-3, a novel retrotransposon in the rice blast fungus *Magnaporthe grisea*. *Fungal Genet Biol* 32: 11-19.
- Kato, S., K. Matsuo, N. Nishimura, N. Takahashi, and T. Takano, 1987 The entire nucleotide sequence of Baboon Endogenous Virus DNA - a chimeric genome structure of murine type-C and simian type-D retroviruses. *Jap J Genet* 62: 127-137.
- Kiyomasu, T., T. Miyazawa, T. Furuya, R. Shibata, H. Sakai *et al.*, 1991 Identification of Feline Immunodeficiency Virus Rev gene activity. *J. Virol.* 65: 4539-4542.
- Konieczny, A., D. F. Voytas, M. P. Cummings, and F. M. Ausubel, 1991 A superfamily of *Arabidopsis thaliana* retrotransposons. *Genetics* 127: 801-809.

- Kuck, U., 1989 The intron of a plastid gene from a green alga contains an open reading frame for a reverse transcriptase-like enzyme. *Mol Gen Genet* 218: 257-265.
- Kupiec, J. J., A. Kay, M. Hayat, R. Ravier, J. Peries *et al.*, 1991 Sequence-Analysis of the Simian Foamy Virus Type-1 Genome. *Gene* 101: 185-194.
- Lampson, B. C., J. Sun, M. Y. Hsu, J. Vallejo-Ramirez, S. Inouye *et al.*, 1989 Reverse transcriptase in a clinical strain of *Escherichia coli*: production of branched RNA-linked msDNA. *Science* 243: 1033-1038.
- Lim, D., 1992 Structure and biosynthesis of unbranched multicopy single-stranded DNA by reverse transcriptase in a clinical *Escherichia coli* isolate. *Mol Microbiol* 6: 3531-3542.
- Lim, D., and W. K. Maas, 1989 Reverse transcriptase-dependent synthesis of a covalently linked, branched DNA-RNA compound in *E. coli* B. *Cell* 56: 891-904.
- Lingner, J., T. R. Hughes, A. Shevchenko, M. Mann, V. Lundblad *et al.*, 1997 Reverse transcriptase motifs in the catalytic subunit of telomerase. *Science* 276: 561-567.
- Llaca, V., A. Lou, S. Young, and J. Messing, 1998 Retrotransposable elements of Sorghum bicolor, pp. Waksman Institute, Rutgers University.
- Loeb, D. D., R. W. Padgett, S. C. Hardies, W. R. Shehee, M. B. Comer *et al.*, 1986 The sequence of a large L1Md element reveals a tandemly repeated 5' end and several features found in retrotransposons. *Mol Cell Biol* 6: 168-182.
- Makino, K., K. Ishii, T. Yasunaga, M. Hattori, K. Yokoyama *et al.*, 1998 Complete nucleotide sequences of 93-kb and 3.3-kb plasmids of an enterohemorrhagic *Escherichia coli* O157:H7 derived from Sakai outbreak. *DNA Res* 5: 1-9.
- Malik, H. S., and T. H. Eickbush, 1999 Retrotransposable elements R1 and R2 in the rDNA units of *Drosophila mercatorum*: abnormal abdomen revisited. *Genetics* 151: 653-665.
- Marlor, R. L., S. M. Parkhurst, and V. G. Corces, 1986 The *Drosophila melanogaster* gypsy transposable element encodes putative gene products homologous to retroviral proteins. *Mol Cell Biol* 6: 1129-1134.
- Meyn, M. A., L. Farral, B. Valent, F. G. Chumley, and M. J. Orbach, Magnaporthe grisea repeated DNA element MGR583 is a member of the LINE-1 class of polyA retrotransposons, pp.
- Mizrokhi, L. J., and A. M. Mazo, 1990 Evidence for horizontal transmission of the mobile element jockey between distant *Drosophila* species. *Proc Natl Acad Sci U S A* 87: 9216-9220.

- Morrison, H. G., A. G. McArthur, F. D. Gillin, S. B. Aley, R. D. Adam *et al.*, 2007 Genomic minimalism in the early diverging intestinal parasite *Giardia lamblia*. *Science* 317: 1921-1926.
- Mouches, C., N. Bensaadi, and J. C. Salvado, 1992 Characterization of a LINE retroposon dispersed in the genome of three non-sibling *Aedes* mosquito species. *Gene* 120: 183-190.
- Nakamura, T. M., G. B. Morin, K. B. Chapman, S. L. Weinrich, W. H. Andrews *et al.*, 1997 Telomerase catalytic subunit homologs from fission yeast and human. *Science* 277: 955-959.
- Nishimura, M., N. Hayashi, N. S. Jwa, G. W. Lau, J. E. Hamer *et al.*, 2000 Insertion of the LINE retrotransposon MGL causes a conidiophore pattern mutation in *Magnaporthe grisea*. *Mol Plant Microbe Interact* 13: 892-894.
- Nogare, D. E. D., M. S. Clark, G. Elgar, I. G. Frame, and R. T. M. Poulter, 2002 Xena, a full-length basal retroelement from tetraodontid fish. *Mol. Biol. Evol.* 19: 247-255.
- Novikova, O., and A. Blinov, 2005 NeSL-1 like element from *Caenorhabditis briggsae*, pp. Institute of Cytology and Genetics.
- Novikova, O., V. Fet, and A. Blinov, 2009 Non-LTR retrotransposons in fungi. *Functional & Integrative Genomics* 9: 27-42.
- O'hare, K., M. R. Alley, T. E. Cullingford, A. Driver, and M. J. Sanderson, 1991 DNA sequence of the Doc retroposon in the white-one mutant of *Drosophila melanogaster* and of secondary insertions in the phenotypically altered derivatives white-honey and white-eosin. *Mol Gen Genet* 225: 17-24.
- Oda, K., K. Yamato, E. Ohta, Y. Nakamura, M. Takemura *et al.*, 1992 Gene organization deduced from the complete sequence of liverwort *Marchantia polymorpha* mitochondrial DNA. A primitive form of plant mitochondrial genome. *J Mol Biol* 223: 1-7.
- Okamoto, H., M. Imai, M. Shimozaki, Y. Hoshi, H. Iizuka *et al.*, 1986 Nucleotide sequence of a cloned hepatitis B virus genome, subtype ayr: comparison with genomes of the other three subtypes. *J Gen Virol* 67 ( Pt 11): 2305-2314.
- Okazaki, S., H. Ishikawa, and H. Fujiwara, 1995 Structural analysis of TRAS1, a novel family of telomeric repeat-associated retrotransposons in the silkworm, *Bombyx mori*. *Mol Cell Biol* 15: 4545-4552.
- Petrzik, K., V. Benes, I. Mraz, J. Honetslegrova-Fanova, W. Ansorge *et al.*, 1998 Strawberry Vein Banding Virus--definitive member of the genus Caulimovirus. *Virus Genes* 16: 303-305.
- Power, M. D., P. A. Marx, M. L. Bryant, M. B. Gardner, P. J. Barr *et al.*, 1986 Nucleotide sequence of Srv-1, a type-D Simian Acquired Immune Deficiency Syndrome retrovirus. *Science* 231: 1567-1572.

- Prabhu, A., H. G. Morrison, C. R. Martinez, 3rd, and R. D. Adam, 2007 Characterisation of the subtelomeric regions of *Giardia lamblia* genome isolate WBC6. *Int J Parasitol* 37: 503-513.
- Renshaw, R. W., and J. W. Casey, 1994 Transcriptional mapping of the 3' end of the Bovine Syncytial Virus genome. *J. Virol.* 68: 1021-1028.
- Richins, R. D., 1993 Organization and expression of the peanut chlorotic streak virus genome, pp. University of Kentucky, Lexington.
- Richins, R. D., H. B. Scholthof, and R. J. Shepherd, 1987 Sequence of Figwort Mosaic Virus DNA (caulimovirus group). *Nucleic Acids Res* 15: 8451-8466.
- Saigo, K., W. Kugimiya, Y. Matsuo, S. Inouye, K. Yoshioka *et al.*, 1984 Identification of the coding sequence for a reverse transcriptase-like enzyme in a transposable genetic element in *Drosophila melanogaster*. *Nature* 312: 659-661.
- Saltarelli, M., G. Querat, D. a. M. Konings, R. Vigne, and J. E. Clements, 1990 Nucleotide sequence and transcriptional analysis of molecular clones of CAEV which generate infectious virus. *Virology* 179: 347-364.
- Sanz-Alferez, S., P. Sanmiguel, Y. K. Jin, P. S. Springer, and J. L. Bennetzen, 2003 Structure and evolution of the Cinful retrotransposon family of maize. *Genome* 46: 745-752.
- Sassaman, D. M., B. A. Dombroski, J. V. Moran, M. L. Kimberland, T. P. Naas *et al.*, 1997 Many human L1 elements are capable of retrotransposition. *Nat Genet* 16: 37-43.
- Schwartz, D. E., R. Tizard, and W. Gilbert, 1983 Nucleotide sequence of Rous Sarcoma Virus. *Cell* 32: 853-869.
- Seiki, M., S. Hattori, Y. Hirayama, and M. Yoshida, 1983 Human adult T-Cell Leukemia Virus - complete nucleotide sequence of the provirus genome integrated in leukemia cell DNA. *Proc Natl Acad Sci, USA* 80: 3618-3622.
- Sheen, F. M., and R. W. Levis, 1994 Transposition of the LINE-like retrotransposon TART to *Drosophila* chromosome termini. *Proc Natl Acad Sci U S A* 91: 12510-12514.
- Takahashi, H., S. Okazaki, and H. Fujiwara, 1997 A new family of site-specific retrotransposons, SART1, is inserted into telomeric repeats of the silkworm, *Bombyx mori*. *Nucleic Acids Res* 25: 1578-1584.
- Tong, S., F. Mattes, K. Teubner, and H. E. Blum, 1990 Complete nucleotide sequence of a Chinese Duck Hepatitis B virus. *Nucleic Acids Res* 18: 6139.
- Tu, Z., J. Isoe, and J. A. Guzova, 1998 Structural, genomic, and phylogenetic analysis of Lian, a novel family of non-LTR retrotransposons in the yellow fever mosquito, *Aedes aegypti*. *Mol Biol Evol* 15: 837-853.

- Villanueva, M. S., S. P. Williams, C. B. Beard, F. F. Richards, and S. Aksoy, 1991 A new member of a family of site-specific retrotransposons is present in the spliced leader RNA genes of *Trypanosoma cruzi*. *Mol Cell Biol* 11: 6139-6148.
- Xiong, Y., and T. H. Eickbush, 1988 The site-specific ribosomal DNA insertion element R1Bm belongs to a class of non-long-terminal-repeat retrotransposons. *Mol Cell Biol* 8: 114-123.
- Xiong, Y., and T. H. Eickbush, 1993 Dong, a non-long terminal repeat (non-LTR) retrotransposable element from *Bombyx mori*. *Nucleic Acids Res* 21: 1318.
- Yuki, S., S. Inouye, S. Ishimaru, and K. Saigo, 1986 Nucleotide sequence characterization of a Drosophila retrotransposon, 412. *Eur J Biochem* 158: 403-410.
- Zagulski, M., B. Babinska, R. Gromadka, A. Migdalski, J. Rytka *et al.*, 1995 The sequence of 24.3 kb from chromosome X reveals five complete open reading frames, all of which correspond to new genes, and a tandem insertion of a Ty1 transposon. *Yeast* 11: 1179-1186.
- Zou, S., D. A. Wright, and D. F. Voytas, 1995 The *Saccharomyces* Ty5 retrotransposon family is associated with origins of DNA replication at the telomeres and the silent mating locus HMR. *Proc Natl Acad Sci U S A* 92: 920-924.