

Table S2 Means and percentages of trivalents per cell at metaphase I in hybrids revealed by FISH

Hybrids	Total	A-A-A	B-B-B	C-C-C	A-A-B	A-B-B	A-A-C	A-C-C	A-B-C	B-B-C	B-C-C
	range	M (F%)	M (F%)	M (F%)	M (F%)	M (F%)	M (F%)	M (F%)	M (F%)	M (F%)	M (F%)
A.B	0.75	0.03			0.44	0.28					
	0-3	(3.3)	-	-	(37.7)	(26.23)	-	-	-	-	-
A.C	0.86	0.23		0.10			0.32	0.23			
	0-3	(22.73)	-	(9.09)	-	-	(27.27)	(22.73)	-	-	-
B.C	0.65		0.03	0.10						0.25	0.27
	0-3	-	(3.3)	(10)	-	-	-	-	-	(23.33)	(23.33)
A.C.B	0.41					0.05	0.14	0.05	0.18		
	0-1	-	-	-	-	(4.55)	(13.64)	(4.55)	(18.18)	-	-
BB.A	0.85	0.06	0.18		0.15	0.47					
	0-2	(5.88)	(17.65)	-	(14.71)	(38.24)	-	-	-	-	-
CC.A	0.44			0.12			0.06	0.26			
	0-1	-	-	(11.76)	-	-	(5.88)	(26.47)	-	-	-
CC.B	0.80			0.20							0.60
	0-2	-	-	(10)	-	-	-	-	-	-	(50)

M: means of trivalents for each type. (F %): frequency of PMCs with trivalents.