Supporting Information

Cytotoxic Sesterterpenoids from the Sponge *Hippospongia* sp.

Yu-Chia Chang, Shang-Wei Tseng, Li-Lian Liu, Yalan Chou, Yuan-Shing Ho, Mei-Chin Lu and Jui-Hsin Su*

Table of Contents



S2. ^{1}H NMR spectrum of **1** in $CDCl_3$ at 500 MHz.



S3. ^{13}C NMR spectrum of **1** in $CDCl_3$ at 125 MHz.



S4. ^{1}H NMR spectrum of **2** in $CDCl_3$ at 500 MHz.



S5. ^{13}C NMR spectrum of **2** in $CDCl_3$ at 125 MHz.



S6. ^{1}H NMR spectrum of **3** in $CDCl_3$ at 400 MHz.



S7. ^{13}C NMR spectrum of **3** in $CDCl_3$ at 100 MHz.



S8. ^{1}H NMR spectrum of **4** in $CDCl_3$ at 400 MHz.



S9. ^{13}C NMR spectrum of **4** in $CDCl_3$ at 100 MHz.



S10. ^{1}H NMR spectrum of **5** in $CDCl_3$ at 400 MHz.



S11. ^{13}C NMR spectrum of **5** in $CDCl_3$ at 100 MHz.



S12. ^{1}H NMR spectrum of **6** in $CDCl_3$ at 500 MHz.



S13. ^{13}C NMR spectrum of **6** in $CDCl_3$ at 125 MHz.



S14. ^{1}H NMR spectrum of **7** in $CDCl_3$ at 400 MHz.



S15. ^{13}C NMR spectrum of **7** in $CDCl_3$ at 100 MHz.



S16. ^{1}H NMR spectrum of **8** in $CDCl_3$ at 500 MHz.



S17. ^{13}C NMR spectrum of **8** in $CDCl_3$ at 125 MHz.