

**Social Dominance in Female Monkeys:  
Dopamine Receptor Function and Cocaine Reinforcement**

***Supplemental Information***

**Table S1.** Effects of menstrual cycle phase on homovanillic acid concentrations (pmol/ml) in individually housed female monkeys.

<b>Monkey</b>	<b>Follicular phase</b>	<b>Luteal phase</b>
<b>6804</b>	<b>1357.64</b>	<b>1517.50</b>
<b>6812</b>	<b>1068.64</b>	<b>1089.21</b>
<b>7371</b>	<b>1129.47</b>	<b>1220.12</b>
<b>7373</b>	<b>754.33</b>	<b>673.39</b>
<b>7376</b>	<b>1322.86</b>	<b>1503.86</b>
<b>7377</b>	<b>1094.66</b>	<b>1066.11</b>
<b>7370</b>	<b>1203.20</b>	<b>1200.48</b>
<b>7372</b>	<b>1327.49</b>	<b>1291.63</b>
<b>7374</b>	<b>1877.68</b>	<b>1543.37</b>
<b>6816</b>	<b>962.30</b>	<b>897.62</b>
<b>6817</b>	<b>931.63</b>	<b>911.46</b>
<b>7375</b>	<b>1150.45</b>	<b>1235.73</b>
<b>Mean</b>	<b>1181.70</b>	<b>1179.21</b>
<b>SEM</b>	<b>81.39</b>	<b>77.76</b>