

Supplemental table 4: Disposition of Pathogenicity Islands and Mobile Genetic Elements in *S. aureus* strain JP1

Island/MGE	Comments
SCC <i>mec</i>	Not present
ΦCOL	62 of 72 <i>orfs</i> absent. The 10 present code for unknown functions
vSaα	Contains 5' genes from Type II (MW0368 - MW0381 except for MW0376) but contains only <i>set18</i> , <i>20</i> , <i>23</i> . These are same as <i>set8</i> , <i>10</i> and <i>12</i> of N316. Has <i>set7-13</i> , <i>set15</i> of Type I of N315, so region is a mix of type I and II. Missing restriction mod system <i>hsdM</i> , <i>hsdS</i> . Missing lipoprotein cluster <i>lpl1-9</i> (N315) or <i>lpl10-14</i> (MW2).
vSaβ	Type II but contains <i>splA</i> and <i>splC</i> (type I)
vSaγ	Complete except missing COL-SA1163
φSa1mu	58 of 71 genes not found. Of 13 present, 10 are also in φCOL or φSa□.
φSa2mw	Not present in JP1, but 3 genes of unknown function located in φSa2mw are found in JP1
φSa3	Similar to MW2, but contains 11 alleles found in N315 version
φSa4	Not found in JP1