

SUPPLEMENTAL TABLE

Total number of viable and non-viable cysts per pig at necropsy by affected organ and percentage of evagination in cysts from muscles

Pig no.	Group no.	Group	Pig-W	Cyst count by tissue										Evagination in cysts from muscle
				Muscle			Heart		Tongue		Brain			
				W-Msc	V	NV	V	NV	V	NV	V	NV		
2	*+	1	AbPd	35	398	0	889	0	313	0	220	9	0	0% (0/38)
7		1	AbPd	62	1225	0	1010	0	24	0	172	8	4	0% (0/34)
9		1	AbPd	70	1672	0	118	0	5	0	23	0	10	2.9% (1/34)
11		1	AbPd	52	1378	0	259	0	22	0	30	0	8	6.1% (2/33)
13		1	AbPd	65	2048	0	38	0	10	0	4	0	2	0% (0/32)
18		1	AbPd	51	1171	0	363	0	7	0	14	4	9	0% (0/32)
5		2	Pz	36	1044	194	6	1	18	5	8	6	1	84.2% (32/38)
8		2	Pz	48	913	607	21	36	34	66	2	82	0	88.6% (39/44)
10		2	Pz	49	1203	222	51	35	14	54	18	27	0	30.3% (10/33)
14		2	Pz	30	1351	2093	5	174	2	272	2	236	0	84.2% (32/38)
17		2	Pz	73	1680	465	27	61	15	99	7	64	0	63.6% (21/33)
19		2	Pz	66	1424	689	80	102	26	53	10	5	1	38.2% (13/34)
1	*+	3	AbPzPd	42	306	0	125	0	30	0	52	0	145	14.6% (6/41)
4	*+	3	AbPzPd	32	120	0	1267	0	183	0	716	*	*	(¥)
6		3	AbPzPd	78	1441	0	83	0	45	0	23	0	40	31.3% (10/32)
12		3	AbPzPd	40	1595	0	341	0	60	0	80	0	8	0% (0/33)
15		3	AbPzPd	70	1843	1	3	0	5	0	2	0	1	20% (2/10)
16		3	AbPzPd	42	1263	0	312	0	0	0	18	0	93	0% (0/35)
43		4	Oxf	147	2402	0	355	0	0	0	7	0	14	0% (0/33)
44		4	Oxf	141	2338	0	470	0	25	0	85	1	3	0% (0/33)
45	*+	4	Oxf	17	385	0	500	0	103	0	48	¥	¥	(£)
50		4	Oxf	66	1349	0	1958	0	13	0	230	10	23	0% (0/33)
51		4	Oxf	85	1343	0	930	0	111	0	96	17	43	3% (1/33)
54		4	Oxf	35	845	4	2636	0	21	0	155	13	36	0% (0/33)
32		5	Ntz	200	2352	599	1	51	2	44	0	20	2	58.4% (18/33)
34		5	Ntz	45	1127	905	1	1	0	61	0	8	0	58.4% (18/33)
36		5	Ntz	45	1401	1224	18	17	69	162	197	54	0	92.3% (60/65)
39		5	Ntz	40	1083	809	17	199	1	198	0	114	0	0% (0/34)
40		5	Ntz	53	1722	4505	1	510	2	348	2	15	0	97% (32/33)
42		5	Ntz	37	1149	1	0	0	0	0	0	0	0	60% (3/5)
3	*+	6	Pd	60	1244	149	25	14	50	8	9	¥	¥	75.8% (50/66)
33		6	Pd	175	2743	685	4	40	0	92	0	25	0	87.9% (29/33)
35		6	Pd	50	1463	163	3	21	0	33	0	26	0	35.5% (11/31)
37		6	Pd	50	877	379	0	86	0	124	3	251	0	100% (33/33)
38		6	Pd	103	1481	1525	1	27	176	218	235	38	0	97% (32/33)
41		6	Pd	40	1692	359	3	118	46	87	0	54	0	97% (32/33)
46		7	Control	35	806	683	1	106	0	82	0	31	0	81% (26/32)
47		7	Control	105	1808	973	0	221	0	245	0	231	0	18.2% (6/33)
48		7	Control	68	1567	191	0	34	0	34	0	16	0	90.9% (30/33)
49		7	Control	120	2661	598	1	182	1	119	0	1	1	42.4% (14/33)
52		7	Control	10	986	446	0	72	0	31	0	53	0	54.5% (18/33)
53		7	Control	34	832	1149	10	0	1	75	0	18	0	33.3% (11/33)
20		8	1/2AbPzPd	66	1709	0	124	0	4	0	7	0	10	0% (0/33)
22		8	1/2AbPzPd	36	882	0	92	0	3	0	41	1	9	0% (0/34)
24		8	1/2AbPzPd	47	1947	0	104	0	47	0	67	0	0	0% (0/30)
25		8	1/2AbPzPd	66	1843	0	0	0	0	0	0	0	0	(£)
28		8	1/2AbPzPd	89	2206	0	1	0	0	0	0	0	32	0% (0/7)
31		8	1/2AbPzPd	41	930	0	599	0	8	0	73	10	3	0% (0/34)
21		9	AbPz2Pd	64	2029	0	1769	0	85	0	196	0	52	0% (0/35)
23		9	AbPz2Pd	66	1882	0	608	0	12	0	81	0	15	0% (0/34)
26		9	AbPz2Pd	35	1384	0	1905	0	365	0	140	2	15	0% (0/34)
27		9	AbPz2Pd	36	1162	0	87	0	10	0	4	1	11	0% (0/31)
29		9	AbPz2Pd	65	1390	0	270	0	25	0	19	0	7	0% (0/33)
30		9	AbPz2Pd	40	1414	0	64	0	3	0	17	0	0	0% (0/33)

*+ = Death before ending the trial; V = viable; NV = non-viable; * = fixation was delayed, however all cysts looks like scared lesions; W-Msc = weight in grams of examined muscle; ¥ = not performed; £ = no cyst was found; Pig-W = pig weight in kilograms at necropsy.