

SUPPLEMENTARY TABLE S2. PERCENTAGE EXPRESSION OF INTEGRIN SUBUNITS DURING ADIPOGENIC DIFFERENTIATION

<i>Average ± SD</i>	<i>Day 0</i>	<i>Day 7</i>	<i>Day 14</i>	<i>Day 21</i>
$\alpha 1$	87 ± 11	79 ± 21	57 ± 40	64 ± 38
$\alpha 2$	63 ± 17	35 ± 17	25 ± 6	30 ± 6
$\alpha 3$	98 ± 3	72 ± 23	59 ± 18	65 ± 11
$\alpha 4$	63 ± 32	25 ± 26	11 ± 4	15 ± 9
$\alpha 5$	46 ± 37	76 ± 22	67 ± 23	63 ± 33
$\alpha 6$	9 ± 5	12 ± 9	16 ± 2	21 ± 6
αV	98 ± 3	96 ± 5	92 ± 6	91 ± 8
$\beta 1$	93 ± 10	43 ± 48	64 ± 29	68 ± 38
$\beta 2$	99 ± 2	99 ± 2	97 ± 2	98 ± 2
$\beta 3$	21 ± 25	7 ± 3	6 ± 1	6 ± 1
$\beta 4$	21 ± 24	6 ± 2	6 ± 1	6 ± 1
$\beta 5$	10 ± 10	25 ± 23	19 ± 16	15 ± 9

Mean percentage expression ± SD for hMSCs from 4 independent donors after 7, 14, and 21 days of adipogenic differentiation.