



7.2600 Chloroform-d


4.5882
4.5853
4.5801
4.5772
4.5677
4.5647
4.5596
4.5566
4.1484
4.1454
4.1406
4.1384
4.1335
4.1305
3.7607
3.7538
3.7434
3.7366
2.3589
2.3443
2.3362
2.3214
2.1898
2.1854
2.1809
2.1736
2.1710
2.1656
2.1641
2.1560
2.1501
2.1477
2.1388
2.0839
2.0807
2.0145
2.0078
1.9917
1.9854
1.8949
1.8934
1.8921
1.8882
1.8870
1.8853
1.8801
1.8783
1.8731
1.8718
1.8702
1.8664
1.8651
1.8636
1.8584
1.7109
1.7055
1.6874
1.5940
1.5875
1.5736
1.5724
1.5670
1.5658
1.5639
1.5123
1.4951
1.4886
1.4787
1.4751
1.4550
1.3017
1.2988
1.2871
1.2790
1.2756
1.2635
1.2520
1.1937
1.0200
0.8451




8


H2O






9






7.2600 Chloroform-d

4.6924
4.6861
4.6797
4.6735
4.6672
4.6609
4.6545
4.4044
4.4011
4.3972
4.3939
4.3901
4.3869
2.7063
2.6953
2.6822
2.6809
2.6702
2.6567
2.6456
2.5157
2.5142
2.5076
2.5050
2.5034
2.4962
2.4927
2.4863
2.4847
2.4820
2.4426
2.4386
2.4347
2.4306
2.4170
2.4129
2.4090
2.4050
2.1765
2.1734
2.1713
2.1659
2.1631
2.1588
2.1560
2.1526
2.1492
2.1453
2.1421
2.1390
2.1261
2.1156
2.1131
2.1108
2.1028
2.0942
2.0919
2.0894
2.0850
2.0278
2.0210
2.0125
2.0051
1.9978
1.9896
1.9736
1.9657
1.6470
1.6366
1.6235
1.6131
1.6000
1.5909
1.5868
1.5829
1.5800
1.5759
1.5674
1.5634
1.5599
1.5562
1.5522
1.4635
1.3998
1.2534
0.9738



11



0.99

0.99

1.09

1.06

0.98

1.08

1.12

2.10

1.12

2.98

8.91

2.85


2.99

2.84

7.5 7.0 6.5 6.0 5.5 5.0 4.5 4.0 3.5 3.0 2.5 2.0 1.5 1.0


Current Chromatogram(s)

DAD1 A, Sig=254




7.26 Chloroform-d

7.02 7.02 7.01 7.00 7.00 7.00 6.99 6.99 6.88 6.88 6.88 6.87 6.87 6.87 6.86 6.86 6.85 6.85 6.85 6.84 4.90 4.90 4.89 4.89 4.89 4.89 4.44 4.44 4.43 4.43 4.41 4.41 4.41 4.41 4.40 4.40 4.40 4.40 4.39 4.39 4.39 4.38 4.38 4.28 4.27 4.27 2.46 2.45 2.45 2.45 2.17 2.17 2.17 2.05 2.02 2.02 2.02 2.01 2.00 2.00 1.99 1.64 1.64 1.62 1.62 1.62 1.61 1.61 1.60 1.60 1.60 1.59 1.59 1.59 1.57 1.56 1.55 1.42 1.42 1.26 1.25 0.98





12



Current Chromatogram(s)


DAD1 A, Sig=254







Current Chromatogram(s)

DAD1 B, Sig=254





8.63

7.65
7.65
7.64
7.63
7.63
7.63
7.62
7.35
7.34
7.33
7.26 Chloroform-d

5.20
5.19
5.19
5.18
5.18
5.17
5.16

4.35

2.71
2.70
2.68
2.67
2.57
2.56
2.47
2.47
2.47
2.46
2.45
2.44
2.44
2.44
2.23
2.22
2.21
2.20
2.09
2.07
2.07
2.06
2.03
2.02
1.72
1.71
1.70
1.69
1.67
1.67
1.45
1.38

1.00

2.11

2.09

1.00

1.00

0.97

0.98

0.99

2.02

0.95

1.05

2.02

0.99

2.99


2.96


3.27

Dichloromethane

Current Chromatogram(s)


DAD1 A, Sig=254






Current Chromatogram(s)


DAD1 A, Sig=254






Current Chromatogram(s)


DAD1 A, Sig=254






Current Chromatogram(s)

DAD1 A, Sig=254




—8.2817

—7.2600 Chloroform-d




18




Current Chromatogram(s)

DAD1 A, Sig=254



—8.1860

—7.2600 Chloroform-d




5.1245
5.1181
5.1117
5.1056
5.0996
5.0934
5.0870

—4.3308

2.7203
2.7091
2.6955
2.6842
2.6704
2.6593
2.5798
2.5686
2.5577
2.5498
2.5383
2.5276
2.4611
2.4572
2.4533
2.4495
2.4354
2.4314
2.4276
2.4238


2.1854
2.1651
2.1643
2.0482
1.6855
1.6751
1.6582
1.6552
1.6352
1.6324
1.4364
0.9978




8.5 8.0 7.5 7.0 6.5 6.0 5.5 5.0 4.5 4.0 3.5 3.0 2.5 2.0 1.5 1.0

Current Chromatogram(s)


DAD1 A, Sig=254






Current Chromatogram(s)


DAD1 A, Sig=254



7.2780
7.2600 Chloroform-d





21



Current Chromatogram(s)


DAD1 A, Sig=254





Current Chromatogram(s)

DAD1 A, Sig=254



8.3591
8.3560

7.2600 Chloroform-d

6.9836
6.9804


5.1918
5.1850
5.1789
5.1746
5.1723
5.1662
5.1604
5.1536

4.3777
4.3745
4.3706
4.3685
4.3644
4.3613


2.7099
2.6964
2.6870
2.6849
2.6712
2.6601
2.6104
2.6016
2.5906
2.5802
2.4574
2.4535
2.4498
2.4461
2.4318
2.4278
2.4241
2.4205

2.2214
2.2180
2.2084
2.1998
2.0616

1.7015
1.6908
1.6773
1.6744
1.6541
1.6519
1.4361
1.2738
1.0018





23



Current Chromatogram(s)



DAD1 A, Sig=254







Current Chromatogram(s)

DAD1 A, Sig=254




8.7637
 8.7610
 8.7564
 8.7537
 7.9086
 7.9074
 7.9047
 7.9001
 7.8974
 7.2600 Chloroform-d
 5.1856
 5.1793
 5.1733
 5.1672
 5.1607
 4.3722
 4.3691
 4.3649
 4.3629
 4.3589
 4.3556
 2.7317
 2.7206
 2.7076
 2.7060
 2.6964
 2.6948
 2.6820
 2.6709
 2.6067
 2.5989
 2.5948
 2.5880
 2.5840
 2.5768
 2.4728
 2.4688
 2.4648
 2.4609
 2.4472
 2.4431
 2.4391
 2.4352
 2.2399
 2.2300
 2.2261
 2.2182
 2.2081
 2.1982
 2.1041
 2.0984
 2.0966
 2.0903
 2.0812
 2.0752
 2.0735
 2.0674
 2.0422
 2.0260
 2.0180
 2.0011
 1.7402
 1.7297
 1.7179
 1.7161
 1.7062
 1.6916
 1.6881
 1.6686
 1.6652
 1.6226
 1.6186
 1.6115
 1.6075
 1.5987
 1.5947
 1.5875
 1.5835
 1.4533
 1.2843
 1.0142




Current Chromatogram(s)


DAD1 B, Sig=254,16 Ref=590,100 (GABRIELMERU_REDO3 2012-08-09 09-26-55\042.D)



8.83
8.82
8.03
8.03
8.02
8.01
7.26 Chloroform-d
6.53
6.52
5.12
5.12
5.11
5.11
5.10
5.09
5.09
4.32
4.32
4.32
4.31
4.31
3.66
3.65
3.64
2.72
2.71
2.69
2.68
2.67
2.66
2.66
2.55
2.54
2.54
2.53
2.53
2.52
2.46
2.45
2.45
2.44
2.43
2.43
2.42
2.42
2.19
2.18
2.18
2.17
2.16
2.16
2.15
2.06
2.06
2.05
2.04
2.03
2.03
2.02
2.01
1.99
1.99
1.71
1.70
1.69
1.68
1.67
1.67
1.65
1.65
1.64
1.63
1.62
1.62
1.61
1.58
1.57
1.56
1.56
1.43
1.27
1.00




26





Dichloromethane


7.2600 Chloroform-d




27









29



Current Chromatogram(s)

DAD1 A, Sig=254





30

