Supporting Information

Synthesis of a 35-Member Stereoisomer Library of Bistramide A: Evaluation of Effects on Actin State, Cell Cycle and Tumor Cell Growth.

Iwona E. Wrona,[†] Jason T. Lowe,[†] Thomas J. Turbyville,[‡] Tanya R. Johnson,[‡]Julien Beignet,[†] John A. Beutler,[‡] and James S. Panek*,[†]

Department of Chemistry and Center for Chemical Methodology and Library Development (CMLD-BU), Boston University 590, Commonwealth Avenue, Boston, Massachusetts, 02215, and Molecular Targets Development Program National Cancer Institute at Frederick, Building 560-15, Frederick, Maryland, 21702

^{1}H and ^{13}C Spectra



21a (400 MHz, $CDCl_3$)







21b (400 MHz, $CDCl_3$)






MeO2C
H
O
H
OBn

21c


9
8
7
6
5
4
3
2
1
0
ppm


180
160
140
120
100
80
60
40
20
ppm



23







(400 MHz, $CDCl_3$)







(400 MHz, $CDCl_3$)




MeO2C
O
OH
H
H


10
9
8
7
6
5
4
3
2
1
0
ppm


180
160
140
120
100
80
60
40
ppm


O
O
H
O
H
OH
9
8
7
6
5
4
3
2
1
ppm
172.656
77.418
76.582
70.301
72.999
68.867
69.176
35.952
34.594
29.338
26.607
21.840
21.746
17.697
180
160
140
120
100
80
60
40
20
ppm



(400 MHz, $CDCl_3$)






MeO2C
H
O
H
OTBDPS
(400 MHz, CDCl3)


9
8
7
6
5
4
3
2
1
ppm
3.17
4.81
1.08.98
1.8735
1.491.86
3.51
2.77
8.24
180
160
140
120
100
80
60
40
20
0 ppm


MeO2C
H
O
H
OTBDPS


9
8
7
6
5
4
3
2
1
0
ppm


180
160
140
120
100
80
60
40
20
ppm

O
O
H
O
H
OTBDPS


9
8
7
6
5
4
3
2
1
-0
ppm


180
160
140
120
100
80
60
40
20
ppm

(400 MHz, $CDCl_3$)





(400 MHz, $CDCl_3$)






HO
O
H
H
OTBDPS


9
8
7
6
5
4
3
2
1
-0
ppm


180
160
140
120
100
80
60
40
20
ppm


HO
O
H
H
OTBDPS


9
8
7
6
5
4
3
2
1
ppm


180
160
140
120
100
80
60
40
20
0
ppm



25a (400 MHz, $CHCl_3$)



25b (400 MHz, $CHCl_3$)





25c






I
O
H
H
OTBDPS

25d


9
8
7
6
5
4
3
2
1
ppm


135.609
134.079
134.007
129.492
127.521
77.426
77.000
76.582
73.725
71.168
60.971
35.429
33.158
26.899
26.878
25.150
19.388
18.162
8.194
130
120
110
100
90
80
70
60
50
40
30
20
10
ppm



26a (400 MHz, $CHCl_3$)





26b (400 MHz, $CHCl_3$)




S
S
O
H
H
OTBDPS

26c


9
8
7
6
5
4
3
2
1
0
ppm


180
160
140
120
100
80
60
40
20
ppm


S
S
O
H
H
OTBDPS

26d


7
6
5
4
3
2
1 ppm


140
130
120
110
100
90
80
70
60
50
40
30
20 ppm



27a (400 MHz, $CHCl_3$)







27b (400 MHz, $CHCl_3$)






O
O
H
H
OTBDPS

27c


9
8
7
6
5
4
3
2
1
-0
ppm


200
180
160
140
120
100
80
60
40
ppm


O
O
H
H
OTBDPS

27d


9
8
7
6
5
4
3
2
1
-0
ppm


198.416
142.862
135.522
135.053
134.054
132.132
129.476
129.445
127.588
77.426
77.008
76.582
73.709
67.985
60.702
43.315
35.451
33.387
27.817
26.497
25.844
19.196
18.265
18.178
200
180
160
140
120
100
80
60
40
20
ppm



(400 MHz, $CHCl_3$)







(400 MHz, $CHCl_3$)






O
H
O
H
OH


9
8
7
6
5
4
3
2
1
-0
ppm


200
180
160
140
120
100
80
60
40
20
ppm


O
O
H
H
OH


9
8
7
6
5
4
3
2
1
-0
ppm


200
180
160
140
120
100
80
60
40
20
ppm



6a (400 MHz, C_6D_6)







6b (400 MHz, C_6D_6)







6c







6d






SiPhMe2
BnO
CO2Me
O
H
H

32a


9
8
7
6
5
4
3
2
1
-0
ppm
1.85
6.45
2.00
0.95
3.88
2.14
2.11
1.07
1.03
3.14
5.88


171.448
138.379
137.069
133.651
129.240
128.166
127.650
127.451
127.322
84.656
77.687
77.418
77.000
76.374
73.186
71.049
51.389
41.540
41.127
39.653
18.123
-0.466
-4.425
180
160
140
120
100
80
60
40
20
0 ppm


SiPhMe2
BnO
CO2Me
O
H
H

***ent*-32b**


9
8
7
6
5
4
3
2
1
-0 ppm


171.716
138.388
137.171
133.762
129.334
128.300
127.953
127.761
127.511
80.386
77.698
77.418
77.000
76.574
73.361
70.181
51.539
41.721
38.361
35.769
16.213
-3.966
-4.416
180
160
140
120
100
80
60
40
20
0 ppm


OH
BnO
CO2Me

33a


7
6
5
4
3
2
1 ppm
3.79
1.73
2.00
1.08
3.64
1.08
1.93
1.72
3.13


172.291
157.992
135.798
128.371
127.669
122.655
77.418
77.000
76.582
73.330
72.478
51.721
39.691
37.759
16.466
180
160
140
120
100
80
60
40
20
ppm


OH
BnO
CO2Me

33b


9
8
7
6
5
4
3
2
1
-0
ppm
3.63
1.83
2.00
1.93
3.16


172.237
137.976
136.208
128.379
127.693
127.661
122.354
77.416
73.511
73.386
72.643
51.713
39.961
37.759
15.850
180
160
140
120
100
80
60
40
20
ppm


OTBS
BnO
CO2Me


7
6
5
4
3
2
1
ppm


172.466
138.426
135.630
128.269
127.637
127.464
122.926
77.426
77.000
76.582
74.798
73.263
73.156
51.659
40.332
36.028
25.873
18.162
17.160
-4.228
-4.915
180
160
140
120
100
80
60
40
20
0 ppm


OTBS
BnO
CO2Me


9
8
7
6
5
4
3
2
1
-0
ppm
3.61
1.80
2.00
2.56
1.06
0.96
1.07
1.98
0.97
9.52
3.17
5.30


172.363
138.410
137.605
128.245
127.582
127.440
121.252
77.486
77.061
76.582
74.869
73.243
72.999
51.650
39.961
38.012
25.873
18.170
14.303
-4.276
-4.867
180
160
140
120
100
80
60
40
20
0
ppm


OTBS
BnO
OH


9
8
7
6
5
4
3
2
1
-0
ppm


140
120
100
80
60
40
20
0
ppm



34a






OTBS
BnO
OTBS

34b


9
8
7
6
5
4
3
2
1
0
ppm
3.37
2.08
0.99
3.29
1.10
1.02
18.38
3.23
11.34


138.529
128.553
127.543
127.419
77.418
77.000
76.582
73.436
73.093
70.678
65.201
38.896
25.936
25.913
18.257
18.202
10.341
-4.165
-5.017
-5.341
140
120
100
80
60
40
20
0
ppm


OTBS
HO
OTBS


9
8
7
6
5
4
3
2
1
-0
ppm


77.416
77.000
76.574
74.143
64.467
64.049
38.043
25.873
25.834
18.233
18.076
13.017
-4.441
-4.626
-5.161
-5.586
110
100
90
80
70
60
50
40
30
20
10
0
ppm


OTBS
HO
OTBS


9
8
7
6
5
4
3
2
1
-0
ppm
90
80
70
60
50
40
30
20
10
0
ppm



35a




OTBS
N3
OH

35b


9
8
7
6
5
4
3
2
1
-0
ppm
1.00
2.30
2.20
1.04
0.93
13.63
6.32


77.410
76.992
76.574
73.188
64.877
54.130
39.156
25.755
17.965
11.706
-4.583
-4.938
180
160
140
120
100
80
60
40
20
0 ppm


TBSO
O
N3
OTIPS


9
8
7
6
5
4
3
2
1
-0
ppm


180
160
140
120
100
80
60
40
20
0 ppm



36a (400 MHz, $CDCl_3$)





36b (400 MHz, $CDCl_3$)





36c (400 MHz, $CDCl_3$)







36d (400 MHz, $CDCl_3$)







36e (400 MHz, $CDCl_3$)







36f (400 MHz, $CDCl_3$)





36g (400 MHz, $CDCl_3$)







36h (400 MHz, $CDCl_3$)






O
O
OTIPS
H
O
H
N
H
TBSO
O

36i


9
8
7
6
5
4
3
2
1
0
ppm
2.03
1.00
1.09
1.06
1.13
1.05
1.08
1.15
1.04
1.06
2.19
1.11
3.08
6.64
9.20
3.48
12.94
6.18


240
220
200
180
160
140
120
100
80
60
40
20
ppm


O
O
O
H
H
N
H
TBSO
OTIPS
O

36j


9
8
7
6
5
4
3
2
1
-0
ppm
1.66
0.90
1.00
3.99
0.95
0.96
1.60
1.54
0.981.43
0.90
1.03
2.821.04
6.02
17.69
3.23
8.19
8.78
5.63


240
220
200
180
160
140
120
100
80
60
40
20
ppm


O
O
O
H
O
H
N
H
TBSO
OTIPS
O

36k


9
8
7
6
5
4
3
2
1
-0
ppm
1.04
1.05
1.02
1.00
1.08
3.21
1.04
3.24
1.04
1.11
3.11
1.07
5.11
4.74
20.04
13.82
6.57


200
180
160
140
120
100
80
60
40
20
ppm


O
O
O
H
H
N
H
TBSO
OTIPS
O

36l


9
8
7
6
5
4
3
2
1
0
ppm


240
220
200
180
160
140
120
100
80
60
40
20
ppm


O
O
OTIPS
H
O
H
N
H
TBSO
O

36m


9
8
7
6
5
4
3
2
1
-0
ppm
1.02
0.95
0.97
1.00
1.05
2.06
1.04
1.05
1.03
1.14
2.00
1.13
2.10
3.46
3.54
3.60
1.12
4.68
0.19
0.39
6.59


220
200
180
160
140
120
100
80
60
40
20
0
ppm


O
O
O
H
H
N
H
TBSO
OTIPS
O

36n


9
8
7
6
5
4
3
2
1
0
ppm
220
200
180
160
140
120
100
80
60
40
20
0
ppm


O
O
OTIPS
O
H
O
H
N
H
TBSO
O

36o


9
8
7
6
5
4
3
2
1
0
ppm


220
200
180
160
140
120
100
80
60
40
20
0
ppm


O
O
O
H
H
N
H
TBSO
OTIPS
O

36p


9
8
7
6
5
4
3
2
1
-0
ppm


220
200
180
160
140
120
100
80
60
40
20
0
ppm


OTBS
N3
OTBS


9
8
7
6
5
4
3
2
1
0
ppm
0.99
1.22
2.43
1.18
1.86
24.37
11.55


90
80
70
60
50
40
30
20
10
0
ppm


OTBS
N3
OTBS
9
8
7
6
5
4
3
2
1
0
ppm
1.00
2.39
2.33
1.06
23.00
11.25
180
160
140
120
100
80
60
40
20
0
ppm


OTBS
N3
OH
9
8
7
6
5
4
3
2
1
-0
ppm
3.61
2.00
1.89
3.23
0.75
1.01
3.14
9.58
5.19
160
140
120
100
80
60
40
20
0
ppm


N3
H
O
O
O


9
8
7
6
5
4
3
2
1
0
ppm


220
200
180
160
140
120
100
80
60
40
20
0
ppm


N3
H
O
O
OH

(*R*)-**8**


9
8
7
6
5
4
3
2
1
0
ppm


150
140
130
120
110
100
90
80
70
60
50
40
30
20
10
ppm



1.1 (400 MHz, C_6D_6)







1.2 (400 MHz, C_6D_6)







1.3 (400 MHz, C_6D_6)





1.4 (400 MHz, C_6D_6)







1.5 (400 MHz, C_6D_6)







1.6 (400 MHz, C_6D_6)







1.7 (400 MHz, C_6D_6)







1.8 (400 MHz, C_6D_6)







1.9 (400 MHz, C_6D_6)







1.10 (400 MHz, C_6D_6)







1.11 (400 MHz, C_6D_6)







1.12 (400 MHz, C_6D_6)







1.13 (400 MHz, C_6D_6)







1.14 (400 MHz, C_6D_6)







1.15 (400 MHz, C_6D_6)







1.16 (400 MHz, C_6D_6)







1.17






O
O
H
O
H
N
H
OH
O
H
N
H
O
O
OH

1.18


9
8
7
6
5
4
3
2
1
0
ppm


180
160
140
120
100
80
60
40
20
ppm


O
O
H
O
H
N
H
OH
O
N
H
H
O
O
OH

1.19


9
8
7
6
5
4
3
2
1
-0
ppm


220
200
180
160
140
120
100
80
60
40
20
0
ppm



1.20






O
O
H
O
H
N
H
OH
O
N
H
H
O
O
OH

1.21


9
8
7
6
5
4
3
2
1
0
ppm
220
200
180
160
140
120
100
80
60
40
20
0
ppm


O
O
H
O
H
N
H
OH
O
H
N
H
O
O
OH

1.22


9
8
7
6
5
4
3
2
1
-0
ppm


200
180
160
140
120
100
80
60
40
20
ppm



1.23







1.24






O
O
H
O
H
N
H
OH
O
H
N
H
O
O
OH

1.25


9
8
7
6
5
4
3
2
1
0
ppm


180
160
140
120
100
80
60
40
20
ppm



1.26






O
O
H
O
H
N
H
OH
O
H
N
H
O
O
OH

1.27


9
8
7
6
5
4
3
2
1
-0
ppm


180
160
140
120
100
80
60
40
20
ppm



1.28







1.29







1.30







1.31







1.32







1.33 (400 MHz, C_6D_6)







1.34 (400 MHz, C_6D_6)







1.35 (400 MHz, C_6D_6)







1.36 (400 MHz, C_6D_6)