Correction. In the article "Recognition of chemical carcinogen-modified DNA by a DNA-binding protein" by Francesco Moranelli and Michael W. Lieberman, which appeared in the June 1980 issue of *Proc. Natl. Acad. Sci. USA* (77, 3201–3205), a printer's error occurred in Table 1 on p. 3203. In the first line of the 2 × ss[³H]DNA column, the number in parentheses should be 2.3 rather than 32.3.

Correction. In the article "Cloning and mapping of BamHI endonuclease fragments of DNA from the transforming B95-8 strain of Epstein-Barr virus" by J. Skare and J. L. Strominger, which appeared in the July 1980 issue of Proc. Natl. Acad. Sci. USA (77, 3860-3864), one small fragment of Epstein-Barr virus was not present in the collection of clones presented. The missing clone has now been found. It contains BamHI a, a 1.0-megadalton fragment, and it hybridizes to the HindIII J fragment between BamHI O and M. This means that the fragments originally designated a, b, and c are really b, c, and d. We also have now succeeded in obtaining normal yields of the BamHI C clone by inoculating liquid cultures with larger numbers of plasmid-containing bacteria from ampicillin plates and growing them without chloramphenicol.

Correction. In the article "Elongation of primed DNA templates by eukaryotic DNA polymerases" by Joh-E Ikeda, Mathew Longiaru, Marshall S. Horwitz, and Jerard Hurwitz, which appeared in the October 1980 issue of *Proc. Natl. Acad. Sci. USA* (77, 5827–5831), two entries in Table 2 are in error. Under "Additions" the last two lines should read "Cytosol + Pol β * (0.046 unit)" and "Cytosol + Pol γ (0.041 unit)."

Correction. In the article "Inheritance of chloroplast DNA in Chlamydomonas reinhardtii" by David M. Grant, Nicholas W. Gillham, and John E. Boynton, which appeared in the October 1980 issue of Proc. Natl. Acad. Sci. USA (77, 6067–6071), Figs. 1 and 3 were reproduced poorly. They are printed again here. Fig. 3 is below, and Fig. 1 is on the following page.




FIG. 3. Electrophoretic patterns of purified chloroplast DNAs digested with Msp I. Cross 1: ac-u-g-2-3 d-u-1 d-u-2 mt⁺ × er-u-37 mt⁻. Cross 2: sr-u-2-23 mt⁺ × ac-u-g-2-3 d-u-1 d-u-2 mt⁻. Cross 3: ac-u-g-2-3 d-u-1 d-u-2 mt⁺ × sr-u-2-23 mt⁻. For all three crosses: M, maternal parent; P, paternal parent; Tetrad (or Octet), meiotic progeny. Only bands 13-21 of each gel are shown.