

Table S1. Strains used in this study

Strain	Genotype	Source
<i>C. albicans</i>		
SC5314	Clinical isolate	Gillum <i>et al.</i> (1984)
CAI4	<i>ura3Δ::λimm434/ura3Δ::λimm434</i>	Fonzi and Irwin (1993)
RM1000	<i>ura3Δ::λimm434/ura3Δ::λimm434, his1::hisG/his1::hisG</i>	Wilson <i>et al.</i> (1999)
BWP17	<i>ura3Δ::λimm434/ura3Δ::λimm434, his1::hisG/his1::hisG, arg4Δ::hisG/arg4Δ::hisG</i>	Wilson <i>et al.</i> (1999)
NGY152	<i>ura3Δ::λimm434/ura3Δ::λimm434, Clp10-URA3</i>	Walker <i>et al.</i> (2009)
CA510	<i>ura3Δ::λimm434/ura3Δ::λimm434, his1::hisG/his1::hisG, icl1::loxP-HIS1-loxP/ICL1</i>	Manson, unpublished
CA517	<i>ura3Δ::λimm434/ura3Δ::λimm434, his1::hisG/his1::hisG, icl1::loxP-HIS1-loxP/icl1::loxP-URA3-loxP</i>	Manson, unpublished
CA674	<i>ura3Δ::λimm434/ura3Δ::λimm434 his1::hisG/his1::hisG, Clp-20-URA3</i>	Smith <i>et al.</i> (2004)
CA1395	<i>ura3Δ::λimm434/ura3Δ::λimm434, his1::hisG/his1::hisG, ICL1/ICL1-Myc₃-URA3</i>	This study
CA1431	<i>ura3Δ::λimm434/ura3Δ::λimm434, his1::hisG/his1::hisG, PCK1/PCK1-Myc₃-URA3</i>	This study
MLC40	<i>ura3Δ::λimm434/ura3Δ::λimm434 his1::hisG/his1::hisG arg4Δ::hisG/arg4Δ::hisG, ubi4Δ::loxP-URA3-loxP/ubi4Δ::loxP-ARG4-loxP</i>	Leach <i>et al.</i> 2011
DSCO	<i>ura3Δ::λimm434/ura3Δ::λimm434 his1::hisG/his1::hisG, arg4Δ::hisG/arg4Δ::hisG, ubi4Δ::loxP/ubi4Δ::loxP-ARG4-loxP</i>	This study
DSCO1	<i>ura3Δ::λimm434/ura3Δ::λimm434 his1::hisG/his1::hisG, CaICL1/CaICL1p-SclCL1-Myc₃-URA3</i>	This study
DSCO2	<i>ura3Δ::λimm434/ura3Δ::λimm434 his1::hisG/his1::hisG, Caicl1/CaICL1p-SclCL1-Myc₃-URA3</i>	This study
DSCO3	<i>ura3Δ::λimm434/ura3Δ::λimm434 his1::hisG/his1::hisG, arg4Δ::hisG/arg4Δ::hisG, ubi4Δ::loxP/ubi4Δ::loxP-ARG4-loxP CaICL1/CaICL1p-SclCL1-Myc₃-URA3</i>	This study
DSCO4	<i>ura3Δ::λimm434/ura3Δ::λimm434 his1::hisG/his1::hisG, CaICL1/CaICL1-Ubi-Myc₃-URA3</i>	This study
<i>S. cerevisiae</i>		
W303-1Bα	<i>MATα, ade2, his3, leu2, trp1, ura3</i>	Euroscarf
BY4743	<i>MATα/a, his3/his3, leu2/leu2, lys2/LYS2, MET15/met15, ura3/ura3</i>	Euroscarf
Y30202	<i>MATα/a, his3/his3, leu2/leu2, lys2/LYS2, MET15/met15, ura3/ura3, icl1/icl1</i>	Euroscarf
DS1-W10	W303-1Bα, pYM21	This study
DS2-W20	W303-1Bα, pYM3	This study
DS3-Y30	<i>MATα/a, his3/his3, leu2/leu2, lys2/LYS2, MET15/met15, ura3/ura3, ICL1/ICL1-Myc₃-URA3</i>	This study
DS4-Y40	<i>MATα/a, his3/his3, leu2/leu2, lys2/LYS2, MET15/met15, ura3/ura3, ICL1/SclCL1p-CaICL1-Myc₃-URA3</i>	This study

Euroscarf: <http://web.uni-frankfurt.de/fb15/mikro/euroscarf/>

Fonzi, W.A. and Irwin, M.Y. (1993) Isogenic strain construction and gene mapping in *Candida albicans*. *Genetics* **134**: 717-728.

Gillum, A.M., Tsay, E.Y., Kirsch, D.R., 1984. Isolation of the *Candida albicans* gene for orotidine-5'-phosphate decarboxylase by complementation of *S. cerevisiae ura3* and *E. coli pyrF* mutations. *Molec. Gen. Genet.*, **198**: 179-182.

Leach, M.D., Stead, D.A., Argo, E., MacCallum, D.M. and Brown, A.J.P. (2011) Proteomic and molecular analyses highlight the importance of ubiquitination for stress resistance, metabolic adaptation, morphogenetic regulation and virulence of *Candida albicans*. *Molec. Microbiol.* **79**, 1574-1593.

Walker, L.A., MacCallum, D.M., Bertram, G., Gow, N.A.R., Odds, F.C. and Brown, A.J.P. (2009) Genome-wide analysis of *Candida albicans* gene expression patterns during infection of the mammalian kidney. *Fungal Genetics & Biology*, **46**, 210-219.

Wilson, R.B., Davis, D., and Mitchell, A.P. (1999). Rapid hypothesis testing with *Candida albicans* through gene disruption with short homology regions. *J. Bacteriol.* **181**, 1868-1874.