

Supporting Information for

Creation of an HDAC-Based Yeast Screening Method for Evaluation of Marine-Derived Actinomycetes: Discovery of Streptosetin A

Part 2

Taro Amagata,^{†,} Jing Xiao,[†] Yi-Pei Chen,[†] Nicholas Holsopple,[†] Allen G. Oliver,[‡] Trevor Gokey,[†] Anton B. Guliaev,[†] Katsuhiko Minoura[§]*

[†]Department of Chemistry and Biochemistry, San Francisco State University, San Francisco, CA 94132, [‡]Department Chemistry and Biochemistry, University of Notre Dame, Notre Dame, 46556, [§]Osaka University of Pharmaceutical Sciences, Takatsuki, Osaka 569-1094, Japan

Table of Contents

Part 2

[Figures]

Figure S6. HRESIMS spectrum of **1**

Figure S7. ^1H NMR spectrum of **1** in CD_3OD (500 MHz)

Figure S8. ^{13}C NMR spectrum of **1** in CD_3OD (125 MHz)

Figure S9. ^{13}C NMR spectrum of **1** in CD_3OD (75 MHz)

Figure S10. gCOSY spectrum of **1** in CD_3OD (500 MHz)

Figure S11. gHSQC spectrum of **1** in CD_3OD (500 MHz)

Figure S12. gHMBC spectrum of **1** in CD_3OD (500 MHz)

Figure S13. NOESY spectrum of **1** in CD_3OD (500 MHz)




Figure S6. HRESIMS spectrum of 1

```

PC1
0908109C1H16H26-30

exp31 stdlh

SAMPLE          DEC. & VT
date Nov 24 2010 dfrq 499.562
solvent CD3OD   dn      H1
file      exp   dpwr    13
ACQUISITION dof      0
sfrq 499.563  dm      mn
tn      H1    dmm      c
at      3.500  dmf     200
np      52480
sw      7497.7 wtfile
fb      4000  proc      ft
bs      4     fn      not used
tpwr    55
pw      7.0  werr      react
dl      3.000 wexp     procplot
tof     800.0 wbs
nt      128  wnt
ct      128
alock   n
gain   not used

FLAGS
il      n
in      n
dp      y

DISPLAY
sp      -50.1
wp      5045.5
vs      108
sc      0
wc      370
hzmm    20.26
is      2074.59
rfl     452.8
rfp     0
th      6
ins     100.000
ai      ph

```




Figure S7. ¹H NMR spectrum of 1 in CD₃OD (500 MHz)

PC1
0908109C1H16H26-30

exp32 std13c

```
SAMPLE          DEC. & VT
date Nov 24 2010 dfrq      499.562
solvent CD3OD  dn         H1
file      exp  dpwr       36
ACQUISITION
sfrq     125.628  dm       YYY
tn       C13    dmm       g
at       1.500  dmf      11000
np       94272  PROCESSING
sw       31421.8 lb        1.00
fb       17000  wtfile
bs       16    proc       ft
tpwr     57    fn        not used
pw       8.5
d1       2.000  werr      react
tof      1800.0 wexp     procp1ot
nt       20000 wbs
ct       19680 wnt
alock    n
gain     not used
FLAGS
il       n
in       n
dp       y
DISPLAY
sp       -0.0
wp       27635.1
vs       14071
sc       0
wc       370
hzmm     74.69
is       397.17
rfl      1821.5
rfp      0
th       2
ins      100.000
ai      ph
```




Figure S8. ^{13}C NMR spectrum of **1** in CD_3OD (125 MHz)




Figure S9. ^{13}C NMR spectrum of 1 in CD_3OD (75 MHz)

```

PC1
0908109C1H16H26-30

exp33 gCOSY

SAMPLE          FLAGS
date Nov 26 2010 hs      nn
solvent CD3OD  sspul    n
sample undefined hsglv1 4414
ACQUISITION     SPECIAL
sw 3086.1 temp not used
at 0.166 gain 48
np 1024 spin not used
fb 2000 F2 PROCESSING
ss 16 sb -0.083
dl 1.000 sbs not used
nt 16 fn 1024
2D ACQUISITION  F1 PROCESSING
sw1 3086.1 sb1 -0.041
ni 256 sbs1 not used
TRANSMITTER     procl 1p
tn H1 fn1 1024
sfrq 499.561 DISPLAY
tof -1054.7 sp 247.9
tpwr 53 wp 2634.0
pw 9.500 sp1 247.9
GRADIENTS       wp1 2628.0
gzlv11 4414 rfl 101.7
gt1 0.001000 rfp 0
gstab 0.000500 rfl1 101.7
DECOUPLER       rfp1 0
dn H1 PLOT
dm nnn wc 200.0
sc 0
wc2 200.0
sc2 0
vs 7192
th 3
ai av

```




Figure S10. gCOSY spectrum of **1** in CD₃OD (500 MHz)

PC1
0908109C1H16H26-30

exp35 gHSQC

SAMPLE	FLAGS	ACQUISITION ARRAYS
date Nov 26 2010	hs	n
solvent CD3OD	sapul	n
sample undefined	PFGflg	y
ACQUISITION	hsglvl	4414
sw 3147.0	SPECIAL	1
at 0.163	temp	not used
np 1024	gain	60
fb 2000	spin	0
ss 32	GRADIENTS	
dl 1.500	gzlvl1	4414
nt 16	gt1	0.002000
2D ACQUISITION	gzlvl3	2207
sw1 19426.9	gt3	0.001000
ni 512	gstab	0.000500
phase arrayed	F2 PROCESSING	
TRANSMITTER	gf	0.075
tn H1	gfs	not used
sfrq 499.561	fn	1024
tof -1067.8	F1 PROCESSING	
tpwr 53	gf1	0.011
pw 9.500	gfs1	not used
DECOUPLER	procl	lp
dn C13	fn1	2048
dof -3698.8	DISPLAY	
dm nny	sp	260.4
dmm ccp	wp	2729.0
dmf 11111	sp1	915.5
dpwr 45	vp1	15746.4
pwxlvl 61	rf1	145.3
pw 16.500	rfp	0
HSQC	rf11	7483.7
jlhx 140.0	rfpl	6160.6
nullflg n	PLOT	
mult 2	wc	240.0
	sc	0
	wc2	200.0
	sc2	0
	vs	1835
	th	3
	ai	ph




Figure S11. gHSQC spectrum of **1** in CD₃OD (500 MHz)

PC1
0908109C1H16H26-30
exp36 gHMBC

SAMPLE		FLAGS	
date	Nov 26 2010	hs	n
solvent	CD3OD	sspul	n
sample	undefined	PPGflg	y
ACQUISITION		hsglv1	4414
sw	3147.0	SPECIAL	
at	0.163	temp	not used
np	1024	gain	60
fb	2000	spin	not used
ss	32	GRADIENTS	
d1	1.500	gzlv11	4414
nt	128	gt1	0.001000
2D ACQUISITION		gzlv13	2207
sw1	28198.8	gt3	0.001000
ni	512	gstab	0.000500
phase	0	F2 PROCESSING	
TRANSMITTER		sb	0.081
tn	H1	sbs	not used
sfrq	499.561	fn	1024
tof	-980.6	F1 PROCESSING	
tpwr	53	sb1	0.007
pw	9.500	sbs1	not used
DECOUPLER		fn1	2048
dn	C13	DISPLAY	
dof	1945.5	sp	261.6
dm	nnn	wp	2618.4
dmm	ccc	sp1	954.2
dmf	11111	wp1	27152.4
dpwr	45	rfl	58.1
pwxlvl	61	rflp	0
pw	16.500	rfl1	6225.3
HMBC		rflp1	6160.6
jlxh	140.0	PLOT	
jnxh	8.0	wc	240.0
		sc	0
		wc2	200.0
		sc2	0
		vs	186
		th	1
		ai	av




Figure S12. gHMBC spectrum of **1** in CD₃OD (500 MHz)

PC1
0908109C1H16H26-30

exp34 NOESY

SAMPLE		FLAGS	
date	Nov 26 2010	hs	n
solvent	CD3OD	sspul	y
sample	undefined	PFGflg	y
ACQUISITION		hsglvl	4414
sw	3147.0	SPECIAL	
at	0.163	temp	not used
np	1024	gain	46
fb	2000	spin	not used
ss	32	F2 PROCESSING	
d1	1.500	gf	0.055
nt	16	gfs	not used
2D ACQUISITION		fn	2048
sw1	3147.0	F1 PROCESSING	
ni	256	gfl	0.045
TRANSMITTER		gfs1	not used
tn	H1	procl	lp
sfrq	499.561	fml	2048
tof	-1067.8	DISPLAY	
tpwr	53	sp	251.2
pw	9.500	wp	2639.9
NOESY		sp1	251.2
mix	1.000	wpl	2633.8
PRESATURATION		rfl	145.3
satmode	nnn	rfp	0
satpwr	0	rfl1	145.3
satdly	0	rfpl	0
satfrq	0	PLOT	
DECOUPLER		wc	200.0
dn	H1	sc	0
dm	nnn	wc2	200.0
		sc2	0
		vs	7192
		th	2
		ai	ph




Figure S13. NOESY spectrum of **1** in CD₃OD (500 MHz)