

eTable 3. Univariate and Multivariate Analysis of Relapse-Free Survival and Distant Relapse-Free Survival in the Second Set

Characteristic	Relapse-Free Survival					Distant Relapse-Free Survival				
	Univariate		Multivariate			Univariate		Multivariate		
	4-Year Rate	Log-Rank P	HR	95% CI	P	4-Year Rate	Log-Rank P	HR	95% CI	P
Patient age, years		0.046			0.048		0.031			0.033
≤50	63.4		1.00	Ref.		69.6		1.00	Ref.	
>50	51.3		1.41	1.00 to 1.99		57.8		1.51	1.03 to 2.20	
Neoadjuvant chemotherapy cycle		0.222			0.008		0.285			0.027
2-3	60.0		1.00	Ref.		66.1		1.00	Ref.	
4-6	57.1		1.75	1.15 to 2.64		63.9		1.69	1.06 to 2.69	
Neoadjuvant chemotherapy response		0.010			0.021		0.009			0.022
Non-pCR	56.6		1.00	Ref.		62.6		1.00	Ref.	
pCR	81.6		0.38	0.16 to 0.86		89.7		0.31	0.11 to 0.84	
Adjuvant chemotherapy		0.951			0.364		0.786			0.579
No	62.1		1.00	Ref.		64.6		1.00	Ref.	
Yes	58.8		1.39	0.68 to 2.85		65.3		1.24	0.58 to 2.68	
Adjuvant radiotherapy		0.534			0.104		0.415			0.153
No	63.2		1.00	Ref.		71.6		1.00	Ref.	
Yes	58.2		0.64	0.37 to 1.10		64.2		0.64	0.35 to 1.18	
Adjuvant endocrine therapy		0.607			0.453		0.925			0.828
No	58.4		1.00	Ref.		66.0		1.00	Ref.	
Yes	59.5		0.88	0.62 to 1.24		64.3		0.96	0.66 to 1.40	
Tumor size and nodes		<0.001			<0.001		<0.001			<0.001
40-60 mm N0	82.2		1.00	Ref.		85.2		1.00	Ref.	
60-80 mm N0	82.1		0.86	0.30 to 2.48	0.772	92.4		0.52	0.14 to 1.96	0.336
40-60 mm N1+	61.5		2.30	0.96 to 5.49	0.062	64.3		2.47	0.95 to 6.39	0.063
60-80 mm N1+	46.3		3.77	1.61 to 8.82	0.002	54.0		3.66	1.44 to 9.31	0.006

Abbreviations: CI = confidence interval; HR = hazard ratio; pCR = pathological complete remission; Ref. = reference