

Table S1. QPCR primers used in this study

Gene	Species	Forward primer	Reverse primer
<i>C-MYC (mature)</i>	human	CTCGGATTCTGCTCTCCT	TCTTGTTCTCCTCAGAGTCG
<i>MEF2C</i>	human	GCGCTGATCATCTTCAAC	CTTTGCCTGCTGATCATT
<i>ZMIZ1</i>	human	TACAGCCAAGGGAATGTCAA	GACAGGTATGGAGGGATGCT
<i>CCND2</i>	human	CCAACACAGACGTGGATTGT	GTTTCATCCTCCGACTTGGAT
<i>SLC1A4</i>	human	CTGTGGACTGGATTGTGGAC	TCCACTTTCACCTCAGCAAG
<i>SLC16A1</i>	human	CATTTCCATCGGCTTCTCTT	GCTGATAGGACCTCCACCAT
<i>Zmiz1</i>	mouse	CTATGGACAGGCACATCCAG	AATCCAGCAGCTCTGTAGCA
<i>DKC1</i>	human	TTGCATGTGGTTCAAATCCT	CTGTCTTCTCCACCCGAAGT
<i>C-MYC (primary)</i>	human	CGCACCAAGACCCCTTTAAC	AAATACGGCTGCACCGAGTC
<i>ODC1</i>	human	GAAGAGATCACCGGCGTAAT	TTAACTGCAAGCGTGAAAGC