

List of Supplemental Digital Content (1 item)

Kaur ADAD manuscript Supplement Table 1.docx

Supplement Table 1. Results of the stepwise logistic regression model using ≥ 1 cutoff for all components of resting tremor and for the gait component in Impaired Posture/Gait. This model produced an 84.8% concordance rate in discriminating AD from LB disease (DLB+LBV).

	Estimate	SE	p-value	OR	95% CI
Masked Facies	1.62	0.28	<0.001	5.0	2.9-8.8
Impaired Posture/Gait	1.3	0.21	<0.001	3.8	2.5-5.8
Speech/Hypophonia	1.1	0.37	0.003	3.1	1.5-6.4
Rigidity	0.91	0.22	<0.001	2.5	1.6-3.8
Bradykinesia	0.68	0.21	0.001	2.0	1.3-3.0
Action/Postural Tremor	0.70	0.27	0.009	2.0	1.2-3.4
Resting Tremor	0.56	0.23	0.01	1.8	1.1-2.7
Gender: Male	0.84	0.19	<0.001	2.3	1.6-3.4
MMSE	0.09	0.02	<0.001	1.1	1.06-1.13
Education	-0.03	0.02	0.29	0.97	0.93-1.02
Age	-0.08	0.01	<0.001	0.92	0.89-0.94

Intercept= -4.63 ± 0.53