

Supplementary Data

SUPPLEMENTARY TABLE S1. SEQUENCES OF POLYMERASE CHAIN REACTION PRIMERS USED IN REVERSE TRANSCRIPTION-POLYMERASE CHAIN REACTION TO AMPLIFY EACH GENE

<i>Gene</i>	<i>Primer</i>	<i>Sequences (5' → 3')</i>	<i>PCR product size (bp)</i>
<i>Runx2</i>	Forward	CTGTGGTAACCGTCATGGCC	49
	Reverse	GGAGCTCGGCCGAGTAGTTC	
Osteocalcin	Forward	CCACCCGGGAGCAGTGT	117
	Reverse	CTAAATAGTGATACCGTAGATGCGTTTG	
Osterix	Forward	ATTGAATTGGAGGAATGGT	217
	Reverse	CTTGAAGTACGTGTAACGTG	
Type 1 collagen	Forward	GCGAAGGCAACAGTCGCT	101
	Reverse	CTTGGTGGTTTTGTATTTCGATGAC	
Alkaline phosphatase	Forward	TCAGGGCAATGAGGTCACATC	68
	Reverse	CACAATGCCACGGACTTC	
β -actin	Forward	TGGGTATGGAATCCTGTGGC	103
	Reverse	CCAGACAGCACTGTGTTGGC	

PCR, polymerase chain reaction.