

Table S1. Basic Reproduction Number (R_0) Estimates for 2009 Pandemic Influenza A Virus Subtype H1N1 (Over 1000 Imputations) During Different Periods of the Epidemic Growth Phase and Using Different Estimates of the Mean Serial Interval (Method 1), Morocco, 2009–2010

Estimation Period	Exponential Growth Rate (95% CI)	Mean Serial Interval	R_0 (95% CI)
21 Oct–12 Nov 2009	0.11 (.09–.13)	2	1.24 (1.19–1.28)
		2.7	1.34 (1.27–1.40)
		4	1.54 (1.43–1.66)
24 Oct–15 Nov 2009	0.13 (.11–.15)	2	1.28 (1.24–1.33)
		2.7	1.40 (1.34–1.48)
		4	1.66 (1.54–1.80)
27 Oct–18 Nov 2009	0.17 (.14–.20)	2	1.38 (1.31–1.46)
		2.7	1.56 (1.44–1.68)
		4	1.94 (1.73–2.17)

Abbreviation: CI, confidence interval.

Table S2. Basic Reproduction Number (R_0) and Serial Interval (SI) Estimates for 2009 Pandemic Influenza A Virus Subtype H1N1 (Over 1000 Imputations) During Different Periods of the Epidemic Growth Phase and Using Different Estimates of the Maximal SI (Method 2), Morocco, 2009–2010

Estimation Period	Maximal SI, d	R_0 (95% CI)	SI, Mean \pm SD (95% CI)
21 Oct–12 Nov 2009	4	1.36 (1.27–1.45)	1.7 \pm 1.2 (1.1–2.3)
	6	1.40 (1.29–1.51)	2.2 \pm 1.4 (1.4–3.0)
	8	1.47 (1.38–1.56)	2.7 \pm 1.7 (1.6–3.8)
24 Oct–15 Nov 2009	4	1.39 (1.28–1.50)	1.9 \pm 1.3 (1.2–2.6)
	6	1.44 (1.32–1.56)	2.3 \pm 1.4 (1.6–3.0)
	8	1.51 (1.41–1.61)	2.8 \pm 1.7 (1.9–3.7)
27 Oct–18 Nov 2009	4	1.41 (1.29–1.53)	2.0 \pm 1.3 (1.2–2.8)
	6	1.46 (1.33–1.59)	2.3 \pm 1.5 (1.5–3.1)
	8	1.58 (1.47–1.69)	3.0 \pm 1.7 (1.9–4.1)

Abbreviation: CI, confidence interval.