

1 SUPPLEMENTARY TABLE 1 Demographics and frequencies of signs/symptoms in  
 2 sCJD subjects with DWI MRI available that met DLB criteria compared to those that did  
 3 not.

	sCJD whom did <u>not</u> meet Probable DLB criteria N=29	sCJD who met Probable DLB criteria N=16	P
Age onset (years)	61.69 +/-10.6	59.94 +/- 14.3	0.671
Duration (years)	12.86 +/- 10.1	12.94 +/- 8.3	0.979
Time to dementia (months)	3.10 +/- 7.8	1.38 +/- 3.0	0.296
Sex	20M (69%)	4M (25%)	<b>0.006</b>
Pyramidal Signs	25 (87%)	15 (94%)	0.641
Cerebellar	18 (62%)	11 (69%)	0.752
Myoclonus	19 (66%)	10 (63%)	1
Visual Symptoms	16 (55%)	13 (81%)	0.11
Akinetic mutism	7 (24%)	1 (6%)	0.226
Focal Cortical signs	24 (83%)	12 (75%)	0.700
Hallucinations	8 (28%)	11 (69%)	<b>0.012</b>
Fluctuations	6 (21%)	6 (38%)	0.310
Parkinsonism	33 (87%)	17 (94%)	0.296
Dementia	28 (97%)	16 (100%)	1
14-3-3	6 Pos; 7 Neg; 6 Inconclusive	3 Pos; 4 Neg; 4 Inconclusive	0.746

4