


>

Preeclampsia

- Follow-up treatment and long term risks -



Survey

1. Years of your clinical experience?

- < 5 years 6-11 years 11-20 years >21 years

2. Your sex

- male female

3. Average age of patients you treat

- 20-40 years 40-50 years >50 years

4. Proportion of treated patients > 50 years

- < 10 % 11-30% 31-50% > 51%

5. When you perform routine counseling for cardiovascular risk reduction, you

5.1. give instructions for lifestyle change (weight-reduction)

5.2. counsel on self-help-groups

5.3. counsel on routinely blood-pressure measurement

6. You perform routine counseling for cardiovascular risk reduction on patients >50 years

	Definitely do	May do	Hardly do	Definitely don't do
5.1. give instructions for lifestyle change (weight-reduction)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5.2. counsel on self-help-groups	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5.3. counsel on routinely blood-pressure measurement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6. You perform routine counseling for cardiovascular risk reduction on patients >50 years	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

7. Your patient-history contains

7.1. a history of preeclampsia

7.2. a family history of preeclampsia

7.3. hypertension before pregnancy

8. Do you ask for a history of preeclampsia on non-pregnant women?

9. Do you inform your patients about the meaning and importance of preeclampsia and the possible long-term effects?

10. Do you ask patients with a history of preeclampsia for the time of occurrence of preeclampsia?

	Always	Often	Rarely	Never
7.1. a history of preeclampsia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
7.2. a family history of preeclampsia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
7.3. hypertension before pregnancy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
8. Do you ask for a history of preeclampsia on non-pregnant women?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
9. Do you inform your patients about the meaning and importance of preeclampsia and the possible long-term effects?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
10. Do you ask patients with a history of preeclampsia for the time of occurrence of preeclampsia?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



	Always	Often	Rarely	Never
11. Do you typically counsel on the following points during your follow-up management of patients with a history of preeclampsia?				
11.1. regularly blood pressure-measurement 3 month after delivery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
11.2. evaluation of kidney-disease 3 month after delivery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
11.3. ascertainment of serum creatinine and proteinuria	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
11.4. counseling on the elevated risk of the development of cardiovascular diseases later in life	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
11.5. information about the regular follow-up treatment of the newborn child	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
12. Do you counsel about the elevated risk of the development of cardiovascular disease later in life?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

	Very well	Well	Less well	Not at all
13. How familiar are you with the elevated risk of women with a history of preeclampsia to develop the following diseases?				
13.1. malignancies	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
13.2. hypertension	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
13.3. stroke	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
13.4. kidney disease	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
13.5. liver disease	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
14. How familiar are you with the current guidelines of the DGGG concerning treatment and follow-up management of preeclampsia?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

	Definitely applies	May apply	Probably doesn't apply	Definitely doesn't apply
15. Do you think women with a history of preeclampsia have a shorter life expectancy?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

	Very much	Much	Not much	Not at all
16. How much are you interested in further education on the topic preeclampsia?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Thank you for your cooperation

