

Antiproliferative and antiplasmodial dimeric phloroglucinols from *Mallotus oppositifolius* from the Madagascar Dry Forest

Liva Harinantenaina, Jessica D. Bowman, Peggy J. Brodie, Carla Slebodnick, Martin W. Callmander, Etienne Rakotobe, Richard Randrianaivo, Vincent E. Rasamison, Alexander Gorka, Paul D. Roepe, Maria B. Cassera, and David G. I. Kingston

Supporting Information

1. Title page
2. ^1H spectrum of compound **1**.
3. ^{13}C NMR spectrum of compound **1**.
4. ^1H spectrum of compound **2**.
5. ^{13}C NMR spectrum of compound **2**.
6. ^1H spectrum of compound **4**.
7. Mass spectrum of compound **4**.
8. Anisotropic displacement ellipsoid drawing (50%) of compound **3**.


Chart 1. ^1H -NMR spectrum of Compound **1**

Chart 2. ^{13}C -NMR spectrum of Compound 1

Compound 1




Chart 3. ^1H -NMR spectrum of Compound 2




Chart 4. ^{13}C -NMR spectrum of Compound 2

Compound 2




Chart 5. $^1\text{H-NMR}$ spectra of Compounds **2** and **4**






Chart 6. HRESIMS spectrum of Compound 4

$[M+H]^+$ (calculated)

Chemical Formula: $C_{33}H_{45}O_8$
Exact Mass: 569.3114

Sample Name	Ih_226_1	Position	P1-C1	Instrument Name	Instrument 1	User Name	
Inj Vol	-1	InjPosition		SampleType	Sample	IRM Calibration Status	
Data Filename	Ih_226_1_mixed_u.d	ACQ Method	MMI_mixedpos_union.m	Comment	431401	Acquired Time	All Ions Missed 9/20/2012 4:21:00 PM



Anisotropic displacement ellipsoid drawing (50%) of **3**.

