

Table S1. Oligonucleotides used for qRT-PCR

Gene	Forward	Reverse
<i>AURKA</i>	ATTCAGGACCTGTTAAGCTAC	TCTGATTCTGAACCGGCTTGTG
<i>AURKB</i>	CACTTCACAATTGATGACTTTGAG	CAGGATGTTGGGATGGTGCAG
<i>CDK1</i>	TGGAGTTGTATAAGGGTAGAC	ATAAGCACATCCTGAAGACTGAC
<i>NEK2</i>	CCCTGAAGGAATGCCACAGAC	TGCGATTCATTTGTTTCAGGAGAC
<i>PLK1</i>	AGATCAACTTCTTCCAGGATCAC	TGAGACGGTTGCTGGCCGAG
<i>ATF3</i>	TGCCTGTCCCCTCCTGGGTC	TCTTCTTCAGGGGCTACCTCG
<i>ATF4</i>	TCCAACAACAGCAAGGAGGATG	GGGCAAAGAGATCACAAGTGTC
<i>FOXO1</i>	AAGCTCCCAAGTGACTTGGATG	AGTACTTTTAAGTGTAACCTGCTC
<i>GAPDH</i>	GGGAGCCAAAAGGGTCTCATC	TGGCATGGACTGTGGCCGAG