

eTable 1 Characteristics of Offspring, Suicide Decedents and Surviving Parents by the Developmental Period of Offspring at the Time Parental Fatal Accident Occurred, Identified from Swedish Population-based Registries, 1973-2003

	Early childhood (Ages 0-5) (n=4,058)		Later Childhood (Ages 6-12) (n=7,444)		Adolescence (Ages 13-17) (n=7,241)		Young Adulthood (Ages 18-24) (n=13,652)		p-value
<i>Offspring</i>	N	%	N	%	N	%	N	%	
Country of Birth: Sweden	3,975	98	7,161	96	6,940	96	13,162	96	0.001
Offspring Female	1,985	49	3,606	48	3,535	49	6,586	48	0.81
Year of Birth (Mean±SD)	1981	7.4	1977	8.8	1972	8.7	1966	8.0	0.001
Any Psychiatric Hospitalization prior to parental death	1	0.02	20	0.3	63	0.9	284	2.1	0.001
<i>Deceased Parent</i>									
Country of Birth: Sweden	3,280	81	6,185	83	6,170	85	11,867	87	0.001
Year of Birth (Mean±SD)	1951	9.5	1946	10.6	1941	11.0	1935	11.1	0.001
Any Psychiatric Hospitalization	622	15	1,760	24	1,948	27	3,299	24	0.001
Age of Parent at Death (Mean±SD)	32.9	7.4	40	7.5	46	7.5	52	7.8	0.001
Parent Mother	785	19	1,619	22	1,637	23	3,585	26	0.001
<i>Surviving Parent</i>									
Country of Birth: Sweden	3,331	82	6,210	84	6,087	85	11,759	87	0.001
Year of Birth (Mean±SD)	1953	8.8	1959	10.0	1943	10.4	1938	10.4	0.001

Any Psychiatric Hospitalization Prior to Spouse Death	265	7	508	7	554	8	944	7	0.09
---	-----	---	-----	---	-----	---	-----	---	------
