Table 1A
Percent Engaging in Substance Use and Delinquency, by Scale Item

	Wave 1	Wave 2	Wave 3
Substance use			
Smoking	57.74	46.75	35.84
Binge drinking	26.86	28.84	51.75
Marijuana use	27.25	25.96	33.13
Cocaine use	3.16	2.31	6.99
Inhalants (W1, W2); crystal meth (W3)	6.01	2.30	2.75
Other ^a	8.29	6.15	10.23
Delinquency			
Damage property	18.37	15.32	9.12
Stole <\$50 value	19.42	15.94	3.41
Stole >=\$50 value	4.69	4.49	8.21
Broke into house to steal	4.80	3.83	1.75
Got in a physical fight	32.15	20.20	3.63
Hurt someone required medical attention	18.16	8.18	5.77
Used or threatened to use weapon	3.86	3.27	1.79
Got in a group fight	19.80	18.53	9.18
Pulled a gun/knife	4.43	4.11	1.33
Shot or stabbed someone	1.69	1.67	0.39
Sold drugs	7.44	7.40	8.40
Vandalism/graffiti (W1, W2); bad check (W3)	8.98	7.45	3.95
Took from store (W1, W2); bought/sold stolen property (W3)	23.21	18.79	4.64
Car w/o permission (W1, W2); credit card w/o permission (W3)	10.01	7.76	1.37
N	17,977	12,446	13,481

Note: Percents are weighted in Stata 12.0.

^a"Other" at wave 1 and 2 includes: illegal drugs such as LSD, PCP, ecstasy, speed, ice, heroin, or pills without a doctor's permission. At wave 3, this category also includes inhalants.

Table 2A

Means on Analysis Variables, Add Health

	Mean	SD	Range
T1 Analysis measures ($N = 17,977$)			
Depressive symptoms	0.63	(0.47)	0 - 3
Substance use	.63		
Delinquency	1.77	(2.35)	0 - 14
Family dinners	4.71	(2.48)	0 - 7
Global family relationship	3.76	(0.82)	1 - 5
Parent-child relationship	4.51	(0.57)	1 - 5
Activities with parent	1.74	(1.14)	0 - 5
Arguments with parent	.38		
Parental control	1.87	(1.58)	0 - 7
Female	.50		
Age at wave 1	15.96	(1.81)	11 - 21
White	.66		
Black	.15		
Hispanic	.12		
Asian	.04		
Other race/ethnicity	.04		
Both parents	.56		
Stepparent	.16		
Single parent	.23		
Other family structure	.04		
Number of other children in hh	1.21	(1.24)	0 - 11
Family income (thousands)	45.36	(52.48)	0 - 999
Mother employed full time	.58		
Mother employed part time	.19		
Mother not currently employed	.23		
Mother <hs< td=""><td>.18</td><td></td><td></td></hs<>	.18		
Mother HS	.37		
Mother some college	.20		
Mother college degree	.25		
Father <hs< td=""><td>.18</td><td></td><td></td></hs<>	.18		
Father HS	.36		
Father some college	.18		
Father college	.28		

Page 1 of 2, Table 2A continued on next page

Page 2 of 2, continued from prior page

Table 2A

Means on Analysis Variables, Add Health

Change $T2 - T1$ ($N = 12,466$)	Mean	SD	Range
Depressive symptoms	0.10	0.44	- 3 – 3
Substance use	-0.05	0.47	- 1 – 1
Delinquency	-0.43	2.10	-14 - 14
Family dinners	-0.19	2.50	- 7 – 7
Family structure (0/1)	.11		
Number of other children in hh	-0.09	0.68	- 11 – 11
Mother starts full-time employment $(0/1)$.12		
Mother stops full-time employment $(0/1)$.08		
Global family relationship quality	-0.03	0.55	- 4 – 4
Parent-child relationship quality	-0.09	0.52	- 4 – 4
Activities with a parent	-0.18	1.16	- 5 – 5
Arguments with a parent	-0.01	0.57	- 1 – 1
Parental control	-0.39	1.58	- 7 – 7
<i>T3</i> Outcomes ($N = 13,481$)			
Depressive symptoms	0.50	0.45	0 - 3
Substance use $(0/1)$.67		
Delinquency	0.63	1.33	0 - 14

Note: Weighted and design adjusted descriptives using svy commands in Stata 12.0.