

# A Simplified Procedure for the Synthesis of *N*-Methyl Cysteine<sup>†</sup>

Erik L Ruggles<sup>‡</sup>, Stevenson Flemer Jr.<sup>‡</sup>, and Robert J. Hondal<sup>\*‡</sup>

<sup>‡</sup>Department of Biochemistry, Given Laboratory, University of Vermont, 89 Beaumont Ave, Burlington, VT 05405

## TABLE OF CONTENTS

NMR Spectra of Oxazolidinone <b>28</b>	S2-S4
<sup>1</sup> H-NMR of Oxazolidinone <b>28</b>	S2
<sup>13</sup> C-NMR of Oxazolidinone <b>28</b>	S3
dept135-NMR of Oxazolidinone <b>28</b>	S4
NMR Spectra of Fmoc-MeCys(S <sup>t</sup> Bu)-OH <b>29</b>	S5-S7
<sup>1</sup> H-NMR of Fmoc-MeCys(S <sup>t</sup> Bu)-OH <b>29</b>	S5
<sup>13</sup> C-NMR of Fmoc-MeCys(S <sup>t</sup> Bu)-OH <b>29</b>	S6
dept135-NMR of Fmoc-MeCys(S <sup>t</sup> Bu)-OH <b>29</b>	S7











