

Supplemental Table 1. *P. aeruginosa* strains and oligonucleotides

STRAIN	CHARACTERISTICS	ORIGIN/Ref
PA01	Wound isolate, sequenced laboratory strain	J. Mougous, U. Washington
PA01 Δ retS	RetS-deficient PA01 mutant	J. Mougous, U. Washington
PAK	Clinical isolate, widely used laboratory strain	S. de Bentzmann, CNRS, Marseille
892 (TBCF121838)	CF isolate	B. Tümmler, Hannover Medical School (Salunkhe <i>et al.</i> , 2005)
SCV	CF isolate	I. Steinmetz, Hannover Medical School (von Gotz <i>et al.</i> , 2004)
LES109	CF epidemic strain	C. Winstanley, U. Liverpool
SCVwt	Isogenic strain of SCV	I. Steinmetz, Hannover Medical School (von Gotz <i>et al.</i> , 2004)
PA14	Virulent clinical isolate	A. Filloux, Imperial College (Rahme <i>et al.</i> , 1995)
TB (TB10839)	CF isolate	B. Tümmler, Hannover Medical School (Salunkhe <i>et al.</i> , 2005)
PA7	Wound isolate	PH Roy, Université Laval, Québec (Roy <i>et al.</i> , 2010)
LES400	CF epidemic strain	C. Winstanley, U. Liverpool (Salunkhe <i>et al.</i> , 2005)
KK1	CF isolate	S. de Bentzmann, CNRS, Marseille (Bastonero <i>et al.</i> , 2009)
PA01 Δ magD	Internal deletion in <i>magD</i> (PA4489) in PA01	This work
PA01 Δ retS Δ magD	Internal deletion in <i>magD</i> (PA4489) in PA01 Δ retS	This work
PA01 Δ operon	Deletion of the <i>mag</i> operon (PA4492-PA4488) in PA01	This work
PRIMER NAME	SEQUENCE (5'...)	CHARACTERISTICS
MacroOE s	tacgaattcgatggccgcgaatccttctctctg	Amplification of <i>magD</i> for overproduction
MacroOE as	tacaagcttctcactcgacctgacctggccagc	Amplification of <i>magD</i> for overproduction
MagDrbsEco	gaattccctctctcaatgaatcgcg	Construction of <i>magD</i> -mCherry fusion
MagDXba	tctagagggcgcttcgagacgg	Construction of <i>magD</i> -mCherry fusion
MagD test1	atccgggcgcaacaacgtg	Screening for <i>magD</i> deletion mutants
MagD test2	agcagttggctggcggtctg	Screening for <i>magD</i> deletion mutants
Mut Mag-F1	cccgggaaaaccgatgctcgggtgat	Construction of Δ operon by SOE PCR
Mut Mag-R1	tctcggcgtcggcgtggcaccgaagg ctcggctagtg	Construction of Δ operon by SOE PCR
Mut Mag-F2	ccacgccgacccgcagaag	Construction of Δ operon by SOE PCR
Mut Mag-R2	cccgggctgctcggcgcaggaagcg	Construction of Δ operon by SOE PCR

References

- Bastonero, S., Y. Le Priol, M. Armand, C. S. Bernard, M. Reynaud-Gaubert, D. Olive, D. Parzy, S. de Bentzmann, C. Capo & J. L. Mege, (2009) New microbicidal functions of tracheal glands: defective anti-infectious response to *Pseudomonas aeruginosa* in cystic fibrosis. *PLoS One* **4**: e5357.
- Rahme, L. G., E. J. Stevens, S. F. Wolfort, J. Shao, R. G. Tompkins & F. M. Ausubel, (1995) Common virulence factors for bacterial pathogenicity in plants and animals. *Science* **268**: 1899-1902.
- Roy, P. H., S. G. Tetu, A. Larouche, L. Elbourne, S. Tremblay, Q. Ren, R. Dodson, D. Harkins, R. Shay, K. Watkins, Y. Mahamoud & I. T. Paulsen, (2010) Complete genome sequence of the multiresistant taxonomic outlier *Pseudomonas aeruginosa* PA7. *PLoS One* **5**: e8842.
- Salunkhe, P., C. H. Smart, J. A. Morgan, S. Panagea, M. J. Walshaw, C. A. Hart, R. Geffers, B. Tümmler & C. Winstanley, (2005) A cystic fibrosis epidemic strain of *Pseudomonas aeruginosa* displays enhanced virulence and antimicrobial resistance. *J Bacteriol* **187**: 4908-4920.
- von Gotz, F., S. Haussler, D. Jordan, S. S. Saravanamuthu, D. Wehmhoner, A. Strussmann, J. Lauber, I. Attree, J. Buer, B. Tümmler & I. Steinmetz, (2004) Expression analysis of a highly adherent and cytotoxic small colony variant of *Pseudomonas aeruginosa* isolated from a lung of a patient with cystic fibrosis. *J Bacteriol* **186**: 3837-3847.