

Additional file 3: Avoidable mortality (SEYLL rate per 100000 people), males.

Cause	Year							
	1971	1972	1973	1974	1975	1976	1977	1978
All causes	23147.3	21287.9	21946.9	21401.3	20945.0	20297.7	20415.5	19758.8
Injuries	3933.7	3920.1	3989.7	4117.8	4227.4	4091.4	4386.8	4540.3
IHD	767.4	791.7	888.3	863.2	920.0	941.4	979.4	983.5
Lung cancer	269.2	307.5	326.3	332.5	334.8	312.6	362.7	404.1
Hypertension	7586.2	7268.1	7556.6	7402.1	7286.5	7275.6	7433.8	7494.0
Ulcers	442.9	435.7	393.4	415.2	302.8	270.4	258.0	214.2
Hodgkin's disease	7.4	11.0	7.2	10.9	9.6	9.4	7.7	8.9
Asthma	321.1	259.2	229.9	203.7	148.0	115.3	97.6	74.7
Gallbladder disease	35.8	29.7	35.4	26.5	24.9	26.7	28.9	27.2
Tuberculosis	1478.3	1373.9	1264.1	1196.2	1019.8	924.6	845.4	762.0
Hernia	15.2	11.2	12.0	6.8	9.3	7.6	9.2	6.8
Appendicitis	21.2	10.3	9.3	13.8	10.2	13.1	5.4	8.1
Cause	1979	1980	1981	1982	1983	1984	1985	1986
All causes	19517.6	19215.7	18943.5	18253.6	18110.8	17304.2	16867.1	16693.6
Injuries	4711.6	4651.6	4762.3	4497.8	4385.4	4391.0	4220.2	4385.5
IHD	1008.2	1260.1	1048.5	1170.9	1265.9	1118.8	1033.8	1306.5
Lung cancer	384.3	424.2	443.0	455.8	463.8	474.1	492.8	485.4
Hypertension	7144.5	6857.5	6824.4	6706.8	6804.8	6293.9	5922.5	5730.4
Ulcers	202.8	187.2	189.8	167.2	173.2	171.5	136.1	117.3
Hodgkin's disease	9.0	5.8	6.0	5.2	8.3	5.8	3.6	5.8
Asthma	65.9	56.1	53.7	42.2	41.6	34.6	30.1	34.1
Gallbladder disease	24.7	22.9	19.2	17.3	22.2	19.7	16.0	16.8
Tuberculosis	697.0	608.7	605.5	538.6	482.8	438.5	404.8	340.4
Hernia	6.0	3.9	3.8	3.7	3.2	4.5	4.6	4.2
Appendicitis	5.0	9.8	8.6	4.6	7.7	6.5	3.6	3.6

Additional file 1: Avoidable mortality (SEYLL rate per 100000 people), males, continued

Cause	Year							
	1987	1988	1989	1990	1991	1992	1993	1994
All causes	16222.2	14401.2	15593.7	14863.3	14102.3	13869.9	13527.1	13502.4
Injuries	4486.8	4584.5	4643.9	4375.3	4232.7	3976.7	3929.2	3952.1
IHD	1434.5	988.3	1055.2	1091.0	1115.7	1270.8	1185.5	1083.5
Lung cancer	480.4	427.0	481.1	447.1	448.6	458.3	433.2	466.8
Hypertension	5029.8	3783.1	4130.2	3815.5	3441.2	3297.2	2984.0	2866.7
Ulcers	96.1	73.7	101.2	91.1	76.2	70.0	76.5	63.6
Hodgkin's disease	2.4	2.5	2.0	3.2	3.1	1.4	2.7	1.7
Asthma	32.4	33.3	28.7	30.9	35.8	32.1	34.9	37.9
Gallbladder disease	18.7	13.2	13.8	10.9	14.9	15.6	13.0	16.9
Tuberculosis	312.2	251.2	286.8	257.5	226.9	204.8	171.4	168.5
Hernia	1.3	2.0	0.9	2.4	1.7	0.6	2.1	1.0
Appendicitis	6.4	1.9	1.9	3.9	1.4	1.4	1.8	1.5
Cause	1995	1996	1997	1998	1999	2000	2001	2002
All causes	13589.6	13390.7	12902.2	12594.3	12390.1	11944.4	12878.5	12260.9
Injuries	3807.1	3714.9	3369.2	3263.3	3378.2	2944.0	2915.6	2689.3
IHD	1003.5	1049.0	991.2	970.1	962.8	921.6	1144.5	1090.1
Lung cancer	480.6	497.3	504.6	475.0	483.3	465.0	580.2	582.6
Hypertension	2889.4	2706.4	2480.8	2330.7	2083.0	2125.2	2422.8	2239.7
Ulcers	64.6	65.8	66.5	61.4	53.0	57.3	52.7	48.0
Hodgkin's disease	2.3	3.4	2.1	2.7	2.8	2.9	2.3	3.6
Asthma	38.9	29.4	28.0	38.0	22.4	16.4	27.3	27.2
Gallbladder disease	9.4	12.0	9.7	10.8	14.3	10.4	13.3	13.4
Tuberculosis	157.7	142.6	145.9	133.4	120.7	123.5	118.1	103.9
Hernia	1.0	1.0	1.1	0.2	1.4	0.1	1.6	0.5
Appendicitis	0.8	0.7	2.6	1.1	1.3	0.8	0.6	2.2

Additional file 1: Avoidable mortality (SEYLL rate per 100000 people), males, continued

Cause	Year					
	2003	2004	2005	2006	2007	2008
All causes	12023.9	12076.0	12301.9	11858.3	11467.3	11261.8
Injuries	2562.8	2637.0	2769.5	2672.3	2267.9	2194.0
IHD	1096.2	1227.8	1090.0	1031.8	989.9	989.8
Lung cancer	564.2	541.5	544.8	544.6	562.5	555.7
Hypertension	2184.1	2138.0	2155.0	2040.5	1954.9	1920.8
Ulcers	46.5	48.0	47.3	39.1	38.6	35.8
Hodgkin's disease	3.9	3.7	5.1	1.9	2.6	2.3
Asthma	25.8	24.1	32.1	26.7	24.0	19.4
Gallbladder disease	11.4	13.6	10.4	13.1	9.5	12.6
Tuberculosis	105.1	73.1	66.9	54.1	54.5	39.9
Hernia	0.5	0.6	0.6	0.1	0.9	0.2
Appendicitis	1.3	1.5	1.3	1.2	0.5	1.6