Legends

Web Figure 1. Course of disability in all 13 activities over the 6-month follow-up period among participants who were hospitalized for a hip fracture, other fall-related injury, and non-fall-related reason, respectively, New Haven, Connecticut, 1998–2010. Results include only the first fall-related hospitalization of each case participant along with their matched controls.


Web Figure 2. Course of disability in the four basic, five instrumental and four mobility activities over the 6-month follow-up period among participants who were hospitalized for a hip fracture, other fall-related injury, and non-fall-related reason, respectively, New Haven, Connecticut, 1998–2010. Results include only the first fall-related hospitalization of each case participant along with their matched controls.

All Activities

Hip fracture


Other falls

- Non-fall




No. of obse	rvations							
	Hip fracture	49	49	46	45	44	44	43
(Other falls		58	57	55	55	54	54
]	Non-fall	211	211	201	195	189	188	188
Hip fracture	Risk ratio		1.6	2.2	1.9	1.7	1.7	1.6
	95% LL		1.4	1.9	1.7	1.5	1.5	1.3
	95% UL		1.8	2.6	2.2	2.0	2.0	1.8
Other falls	Risk ratio		1.2	1.9	1.6	1.4	1.5	1.4
	95% LL		1.1	1.6	1.4	1.2	1.3	1.2
	95% UL		1.4	2.2	1.8	1.6	1.7	1.6

Basic Activities



Instrumental Activities



Mobility Activities

