

# Supporting Information

## for

### Studies on the photodegradation of red, green and blue phosphorescent OLED emitters

Susanna Schmidbauer<sup>§</sup>, Andreas Hohenleutner<sup>§</sup> and Burkhard König\*

Address: Institut für Organische Chemie, Universität Regensburg, Universitätsstraße 31, D-93053 Regensburg, Germany

E-mail: Burkhard König - [burkhard.koenig@chemie.uni-regensburg.de](mailto:burkhard.koenig@chemie.uni-regensburg.de)

<sup>§</sup>These authors contributed equally





\*Corresponding author

## Reproducibility of degradation studies and degradation curves





### Contents

Reproducibility of the degradation studies in toluene under ambient conditions .....	S2
Reproducibility of the degradation studies in a PMMA matrix under ambient conditions .....	S3
Degradation curves of Ir(piq) <sub>3</sub> , Ir(ppy) <sub>3</sub> , Ir(Me-ppy) <sub>3</sub> and Ir(F,CN-ppy) <sub>3</sub> in CH <sub>2</sub> Cl <sub>2</sub> under ambient and inert conditions.....	S4
Degradation curves of Ir(piq) <sub>3</sub> , Ir(ppy) <sub>3</sub> , Ir(Me-ppy) <sub>3</sub> and Ir(F,CN-ppy) <sub>3</sub> in benzene and toluene under ambient and inert conditions .....	S5


Reproducibility of the degradation studies in toluene under ambient conditions



Reproducibility of the degradation studies in a PMMA matrix under ambient conditions



Degradation curves of Ir(piq)<sub>3</sub>, Ir(ppy)<sub>3</sub>, Ir(Me-ppy)<sub>3</sub> and Ir(F,CN-ppy)<sub>3</sub> in CH<sub>2</sub>Cl<sub>2</sub> under ambient and inert conditions



Degradation curves of Ir(piq)<sub>3</sub>, Ir(ppy)<sub>3</sub>, Ir(Me-ppy)<sub>3</sub> and Ir(F,CN-ppy)<sub>3</sub> in benzene and toluene under ambient and inert conditions

