


Supplemental Figure 1





		I	II	III		
Average No. of conceptuses/litter (No. of implantations)		9.3±0.3 (93)	6.7±1.1 (47)	8.0±0.5* (56)	7.7±1.1 (54)	7.4±0.8* (59)
Normal stage		8.9±0.4 (95.7%)	5.3±1.3 ^a (78.7%)	2.7±1.2** (33.9%)	3.3±1.2** (42.6%)	3.4±0.9*** (45.8%)
Developmental delay	Total	0.0	0.1±0.1 ^b (2.1%)	2.4±0.5*** (30.4%)	2.0±0.9*** (25.9%)	1.9±0.7** (25.4%)
>E9.5-E10.0 (21-29 s)	>E9.5-E10.0 (21-29 s)	0.0	0.1±0.1 (2.1%)	2.3±0.6*** (29.1%)	1.6±0.6* (20.3%)	1.4±0.6** (18.6%)
	>E8.5-E9.5 (8-20 s)	0.0	0.0	0.1±0.1 (1.8%)	0.4±0.3 (5.6%)	0.5±0.5 (6.8%)
	<E8.5 (<8 s)	0.0	0.0	0.0	0.0	0.0
	Overall total	0.0	0.3±0.2 (4.3%)	1.4±0.4*** (17.9%)	0.9±0.3* (11.1%)	1.3±0.4** (16.9%)
Placenta	>1 phenotype	0.0	0.0 ^b	0.7±0.3** (9.1%)	0.1±0.1 (1.9%)	0.1±0.1 (1.7%)
	Off-centered CA	0.0	0.0	0.7±0.3** (9.1%)	0.1±0.1 (1.9%)	0.5±0.2* (6.8%)
	No CA	0.0	0.0	0.0	0.0	0.0
	Total	0.0	0.0 ^b	0.7±0.3** (9.1%)	0.1±0.1 (1.9%)	0.5±0.2* (6.8%)
Severe Abnormalities	Pericardial edema	0.0	0.0	0.1±0.1 (1.7%)	0.0	0.0
	Reversed looping	0.0	0.0	0.0	0.0	0.0
	Enlarged heart	0.0	0.0	0.4±0.2 (5.4%)	0.1±0.1 (1.9%)	0.1±0.1 (1.7%)
	Total	0.0	0.0 ^b	0.6±0.2** (7.2%)	0.1±0.1 (1.8%)	0.1±0.1 (1.7%)
Neural tube	Cranial NTD	0.0	0.1±0.1 (2.1%)	0.6±0.2* (7.3%)	0.2±0.1 (3.7%)	0.5±0.4 (6.8%)
	Spinal NTD	0.0	0.0	0.0	0.0	0.0
	Total	0.0	0.1±0.1 (2.1%)	0.6±0.2* (7.3%)	0.2±0.1 (3.7%)	0.5±0.4 (6.8%)
	Hemorrhages	Placenta	0.0	0.1±0.1 (2.1%)	0.2±0.1 (3.7%)	0.1±0.2 (3.4%)
Hemorrhages	Embryo	0.0	0.0	0.0	0.2±0.2 (3.7%)	0.0
	Total	0.0	0.1±0.1 (2.1%)	0.2±0.1 (3.7%)	0.3±0.3 (7.4%)	0.1±0.2 (3.4%)
	Resorptions	0.4±0.2 (4.3%)	1.0±0.4 (14.9%)	1.4±0.4* (17.9%)	1.6±0.5* (20.4%)	0.9±0.4 (11.9%)

Supplemental Figure 2

		I		II		III		IV		V	
		II		III		III		IV		V	
No. of MGFs, MGFs or fathers		3 ^{a,b}	3 ^c	7 ^a	7 ^a	3 ^b	4 ^b	7 ^{a, b}	7 ^{a, b}	7 ^{a, b}	
No. of litters (No. of conceptuses)		10 (93)	10 (94)	10 (83)	14 (129)	10 (89)	10 (87)	21 (176)			
Average con- ceptuses/litter		9.3±0.3	9.4±0.3	8.2±0.9	9.2±0.4	8.9±0.5	8.7±0.3	8.4±0.6			
Developmental delay	>E9.5-E10.0 (21-29 s)	0.0	0.0	0.7±0.3* (8.5%)	0.4±0.2* (4.7%)	0.1±0.1 (1.1%)	0.1±0.1 (1.1%)	1.3±0.4* (15.3%)			
	>E8.5-E9.5 (8-20 s)	0.0	0.0	0.0	0.2±0.1 (2.3%)	0.5±0.3 (5.6%)	0.9±0.4* (10.3%)	0.4±0.2 (5.1%)			
	<E8.5 (<8 s)	0.0	0.0	0.0	0.0	0.0	0.1±0.1 (1.1%)	0.1±0.1 (1.7%)			
	Total	0.0	0.0	0.7±0.3* (8.5%)	0.6±0.3* (7.0%)	0.6±0.3 (6.7%)	1.1±0.5* (12.6%)	1.9±0.5** (22.2%)			
Placenta	Overall total	0.0	0.1±0.1 (1.1%)	1.4±0.3** (17.1%)	1.1±0.3** (11.6%)	1.0±0.2*** (12.4%)	0.8±0.3* (9.2%)	1.3±0.2** (15.9%)			
	>1 phenotype	0.0	0.0	0.5±0.2* (6.0%)	0.4±0.1* (3.9%)	0.4±0.2* (4.5%)	0.6±0.2* (6.9%)	0.6±0.2* (6.3%)			
	Total	0.0	0.1±0.1 (1.1%)	0.8±0.3* (9.8%)	0.4±0.1* (4.7%)	0.2±0.1 (2.2%)	0.4±0.2* (4.6%)	0.7±0.2** (8.0%)			
Severe Abnormalities	Pericardial edema	0.0	0.0	0.3±0.2* (2.4%)	0.0*	0.3±0.2* (3.4%)	0.2±0.1 (2.3%)	0.4±0.1 (4.5%)			
	Reversed looping	0.0	0.0	0.0	0.1±0.1 (0.8%)	0.0	0.0	0.0			
	Enlarged heart	0.0	0.0	0.2±0.1 (3.7%)	0.2±0.1 (2.3%)	0.2±0.1 (2.2%)	0.0	0.2±0.1 (2.8%)			
	Total	0.0	0.0	0.4±0.2* (6.1%)	0.3±0.1 (3.1%)	0.4±0.2* (5.7%)	0.2±0.1 (2.3%)	0.6±0.2* (7.4%)			
Neural tube	Cranial NTD	0.0	0.0	0.1±0.1 (1.2%)	0.1±0.1 (0.8%)	0.1±0.1 (1.1%)	0.4±0.2* (4.6%)	0.2±0.1 (2.3%)			
	Spinal NTD	0.0	0.0	0.2±0.1 (2.4%)	0.0	0.1±0.1 (1.1%)	0.0	0.0			
	Total	0.0	0.0	0.3±0.2 (3.6%)	0.1±0.1 (0.8%)	0.2±0.1 (2.2%)	0.4±0.2* (4.6%)	0.2±0.1 (2.3%)			
Hemorrhages	Placenta	0.0	0.0	0.3±0.2 (3.6%)	0.3±0.1 (2.3%)	0.1±0.1 (1.1%)	0.3±0.2 (3.4%)	0.2±0.1 (2.3%)			
	Embryo	0.0	0.0	0.0	0.1±0.1 (1.6%)	0.3±0.2 (3.4%)	0.1±0.1 (1.1%)	0.2±0.1 (2.8%)			
	Total	0.0	0.0	0.3±0.2 (3.6%)	0.4±0.1* (3.9%)	0.4±0.2* (4.5%)	0.4±0.2* (4.5%)	0.4±0.1 (5.1%)			
	Twins/Triplets	0.0	0.0	0.1±0.1 (1.2%)	0.1±0.1 (1.6%)	0.2±0.1 (2.2%)	0.1±0.1 (1.1%)	0.1±0.1 (0.6%)			
Resorptions		0.4±0.2 (4.3%)	0.4±0.2 (4.3%)	0.9±0.4 (11.0%)	0.6±0.1 (6.2%)	0.3±0.2 (3.4%)	0.7±0.3 (8.0%)	1.2±0.4 (14.2%)			

Supplemental Figure 3



A**B****C****D**

		Average No. of embryos transferred/litter [E3.5] (N)		
		9.1 ± 0.3 (91)	7.6 ± 0.4** (53)	8.9 ± 0.5 (89)
		Average No. of conceptuses/litter [E10.5] (N)	5.4 ± 0.5 (43)	6.0 ± 1.0 (36)
Severe Abnormalities	Developmental delay	>E9.5-E10.0 (21-29 s)	0.5 ± 0.5 (9.3%)	0.0
		>E8.5-E9.5 (8-20 s)	0.0	0.0
		<E8.5 (<8 s)	0.0	0.0
		Total	0.5 ± 0.5 (9.3%)	0.0
		Overall total	0.0	0.5 ± 0.2 ^a (8.3%)
		>1 phenotype	0.0	0.3 ± 0.2* (5.6%)
	Placenta	Off-centered/no CA	0.0	0.2 ± 0.1 (3.3%)
		Necrotic placenta	0.0	0.2 ± 0.1 (3.3%)
		Total	0.0	0.3 ± 0.2 (5.6%)
	Heart	Pericardial edema	0.0	0.2 ± 0.1 (3.3%)
Severe Abnormalities		Reversed looping	0.0	0.0
		Enlarged or abnormal structure	0.0	0.3 ± 0.2 (5.6%)
		Total	0.0	0.3 ± 0.2 (5.6%)
	Neural tube	Cranial NTD	0.0	0.0
		Spinal NTD	0.0	0.1 ± 0.1 (1.7%)
		Total	0.0	0.1 ± 0.1 (1.7%)
	Hemorrhages	Placenta	0.0	0.3 ± 0.2 (5.0%)
		Embryo	0.0	0.1 ± 0.1 (1.7%)
		Total	0.0	0.5 ± 0.3 (6.7%)
		Reversed body looping	0.0	0.2 ± 0.2 (2.8%)
Resorptions		Twins/Triplets	0.0	0.2 ± 0.2 (2.8%)
		Resorptions	1.1 ± 0.6 (20.9%)	0.1 ± 0.1* (1.7%)
		0.7 ± 0.5 (11.1%)		

Supplemental Figure 6

Generation analyzed:		III	III	IV	V	III	IV	V	
No. of MGMs or MGFs		3	7	3	2	3	3	2	
No. of litters (No. of conceptuses)		10 (93)	10 (83)	10 (91)	10 (99)	10 (89)	13 (111)	9 (86)	
Average con- ceptuses/litter		9.3±0.3	8.3±0.9	9.1±0.4	9.9±0.3	8.9±0.5	8.5±0.3	9.6±0.4	
Severe Abnormalities	Overall total		0.0	1.4±0.3** (17.1%)	0.5±0.2* (5.5%)	1.0±0.4** (10.1%)	1.0±0.2*** (12.4%)	0.4±0.1* (4.5%)	0.2±0.1 (2.3%)
	>1 phenotype		0.0	0.5±0.2* (6.0%)	0.4±0.2 (4.4%)	0.8±0.2* (8.1%)	0.4±0.2* (4.5%)	0.3±0.1 (3.6%)	0.2±0.1 (2.3%)
	Placenta	Off-centered CA	0.0	0.5±0.2* (7.3%)	0.5±0.2* (5.5%)	0.6±0.2* (6.1%)	0.2±0.1 (2.3%)	0.2±0.1 (1.8%)	0.1±0.1 (1.2%)
		No CA	0.0	0.3±0.2 (2.4%)	0.0	0.0	0.0	0.1±0.1 (0.1%)	0.0
		Total	0.0	0.8±0.3* (9.8%)	0.5±0.2* (5.5%)	0.6±0.2* (6.1%)	0.2±0.1 (2.3%)	0.2±0.1 (1.9%)	0.1±0.1 (1.2%)
	Heart	Pericardial edema	0.0	0.3±0.2* (2.4%)	0.3±0.2 (3.3%)	0.7±0.2* (7.1%)	0.3±0.2* (3.4%)	0.3±0.2 (3.6%)	0.2±0.1 (2.3%)
		Reversed looping	0.0	0.0	0.0	0.2±0.1 (2.0%)	0.0	0.0	0.0
		Enlarged heart	0.0	0.2±0.1 (3.7%)	0.1±0.1 (1.1%)	0.0	0.2±0.1 (2.3%)	0.2±0.2 (2.7%)	0.0
		Total	0.0	0.4±0.2* (6.1%)	0.4±0.2 (4.4%)	0.9±0.2* (9.1%)	0.4±0.2* (5.7%)	0.5±0.3 (6.3%)	0.2±0.1 (2.3%)
	Neural tube	Cranial NTD	0.0	0.1±0.1 (1.2%)	0.0	0.0	0.1±0.1 (1.1%)	0.1±0.1 (0.1%)	0.0
		Spinal NTD	0.0	0.2±0.1 (2.4%)	0.0	0.0	0.1±0.1 (1.1%)	0.0	0.0
		Total	0.0	0.3±0.2 (3.6%)	0.0	0.0	0.2±0.1 (2.2%)	0.1±0.1 (0.1%)	0.0
	Hemorrhages	Placenta	0.0	0.3±0.2 (3.6%)	0.1±0.1 (1.1%)	0.3±0.2 (3.0%)	0.1±0.1 (1.1%)	0.1±0.1 (0.1%)	0.1±0.1 (1.2%)
		Embryo	0.0	0.0	0.0	0.0	0.3±0.2 (3.4%)	0.0	0.0
		Total	0.0	0.3±0.2 (3.6%)	0.1±0.1 (1.1%)	0.3±0.2 (3.0%)	0.4±0.2* (4.5%)	0.1±0.1 (0.1%)	0.1±0.1 (1.2%)
Twins/Triplets		0.0	0.1±0.1 (1.2%)	0.0	0.0	0.2±0.1 (2.2%)	0.1±0.1 (0.1%)	0.1±0.1 (1.2%)	
Resorptions		0.4±0.2 (4.3%)	0.9±0.4 (11.0%)	0.5±0.2 (5.5%)	0.2±0.1 (2.0%)	0.3±0.2 (3.4%)	0.6±0.1 (7.2%)	0.0	