

## Supporting Information

# Carbocyclic 5'-nor "reverse" fleximers. Design, synthesis, and preliminary biological activity

*Sarah C. Zimmermann,<sup>a</sup> Joshua M. Sadler,<sup>a</sup> Graciela Andrei,<sup>b</sup> Robert Snoeck,<sup>b</sup> Jan Balzarini,<sup>b</sup>  
Katherine L. Seley-Radtke<sup>\*a</sup>*

### Table of Contents

Figure S1.....	Page S2
Figure S2.....	Page S3
Figure S3.....	Page S4
Figure S4.....	Page S5
Figure S5.....	Page S6
Figure S6.....	Page S7
Figure S7.....	Page S8
Figure S8.....	Page S9
Figure S9.....	Page S10
Figure S10.....	Page S11
Figure S11.....	Page S12




Figure S1.  $^1\text{H}$  NMR of 1a




Figure S2. <sup>13</sup>C NMR of 1a




Figure S3. HMQC of 1a




Figure S4. HRMS of 1a




Figure S5. <sup>1</sup>H NMR of 1b




Figure S6.  $^{13}\text{C}$  NMR of 1b




Figure S7. HRMS of 1b






Figure S8. <sup>1</sup>H NMR of 1c




Figure S9.  $^{13}\text{C}$  NMR of 1c




Figure S10. HMQC of 1c




Figure S11. HRMS of 1c