

**Supplemental Table S4A.**

Individual disease incidence in F4 generation Outcross female rats of Control and Lower Dose DDT lineages.

Serial Number	Rat ID	Puberty	Ovary	Uterus	Kidney	Tumor	Obesity	Total Disease
C1	MOC5-O4-1-1	-	-	-	-	-	-	
C2	MOC5-O4-1-2	-	-	-	-	-	-	
C3	MOC5-O4-1-3	-	-	-	-	-	-	
C4	MOC5-O4-1-4	-	-	-	+	-	-	1
C5	MOC5-O4-1-5	+	-	-	+	-	-	2
C6	MOC5-O4-1-6	+	-	-	-	-	-	1
C7	MOC5-O4-1-7	-	-	-	+	-	-	1
C8	MOC4-O4-2-1	-	-	-	-	-	-	
C9	MOC4-O4-2-2	-	-	-	-	-	+	1
C10	MOC4-O4-2-3	-	-	-	-	-	-	
C11	MOC4-O4-2-4	-	+	-	+	-	-	2
C12	MOC4-O4-2-6	-	-	-	-	-	+	1
C13	MOC4-O4-2-7	-	-	-	-	-	+	1
C14	MOC7-O4-3-1	-	-	-	+	-	-	1
C15	MOC7-O4-3-3	-	-	+	-	-	-	1
C16	MOC8-O4-4-1	-	-	-	-	-	-	
C17	MOC8-O4-4-2	-	-	-	-	-	-	
C18	MOC2-O4-5-1	-	+	-	-	-	-	1
C19	MOC2-O4-5-2	-	-	-	-	-	+	1
C20	MOC2-O4-5-3	-	-	-	-	-	+	1
C21	MOC2-O4-5-6	-	-	-	-	-	+	1
C22	MOC1-O4-6-1	-	-	+	-	-	-	1
C23	MOC1-O4-6-2	-	-	+	-	-	-	1
C24	MOC6-O4-7-1	-	-	-	-	-	+	1
C25	MOC6-O4-7-3	-	-	-	-	-	+	1

Serial Number	Rat ID	Puberty	Ovary	Uterus	Kidney	Tumor	Obesity	Total Disease
LD1	MOLD9-O4-1-1	-	+	-	-	-	-	1
LD2	MOLD9-O4-1-2	-	-	-	-	-	-	
LD3	MOLD9-O4-1-3	-	-	-	-	-	-	
LD4	MOLD9-O4-1-4	-	-	-	+	-	-	1
LD5	MOLD9-O4-1-5	-	-	+	-	-	-	1
LD6	MOLD2-O4-2-1	-	-	-	-	-	+	1
LD7	MOLD2-O4-2-2	-	-	-	-	-	+	1
LD8	MOLD2-O4-2-3	-	-	-	-	-	+	1
LD9	MOLD2-O4-2-4	-	-	-	-	-	+	1
LD10	MOLD2-O4-2-5	-	-	-	-	-	+	1
LD11	MOLD3-O4-3-1	-	+	-	-	-	-	1
LD12	MOLD3-O4-3-2	-	+	-	+	-	-	2
LD13	MOLD3-O4-3-3	-	-	-	+	-	-	1
LD14	MOLD3-O4-3-4	-	-	-	-	-	+	1
LD15	MOLD3-O4-3-5	-	+	-	+	-	-	2

LD16	MOLD1-O4-4-1	-	-	-	+	-	+	2
LD17	MOLD1-O4-4-2	-	-	-	-	-	-	
LD18	MOLD1-O4-4-3	-	-	-	-	-	+	1
LD19	MOLD1-O4-4-4	-	-	-	-	-	+	1
LD20	MOLD-04-5-2	-	-	-	-	-	+	1
LD21	MOLD-04-6-1	-	-	-	-	-	+	1
LD22	MOLD-04-6-4	-	-	-	-	-	+	1

A '+' indicates the presence; A '-' indicates the absence of disease; A blank cell indicates 'not determined.' Animal IDs with a 'C' belong to Control group, those with a 'LD' belong to lower dose DDT group. See 'Materials and Methods' section for disease assessment in rats. The number of animals per litter (litter representation) mean  $\pm$  SEM used for each specific disease/abnormality assessment within the control or lower dose DDT lineages were not found to be statistically different ( $p>0.05$ ), so no litter bias detected.

**Supplemental Table S4B.**

Individual disease incidence in F4 generation Outcross male rats of Control and Lower Dose DDT lineages.

Serial Number	Rat ID	Puberty	Testis	Kidney	Tumor	Obesity	Total Disease
C1	MOC5-O4-1-9	-	-	-	-	-	
C2	MOC5-O4-1-10	-	+	+	-	-	2
C3	MOC5-O4-1-11	-	-	-	-	+	1
C4	MOC5-O4-1-12	-	-	+	-	-	1
C5	MOC4-O4-2-9	-	-	-	-	-	
C6	MOC4-O4-2-10	-	-	-	-	-	
C7	MOC4-O4-2-11	-	-	-	-	-	
C8	MOC4-O4-2-12	-	-	-	-	-	
C9	MOC4-O4-2-13	-	+	-	-	-	1
C10	MOC7-O4-3-6	-	-	+	-	+	2
C11	MOC7-O4-3-7	-		+	-	-	1
C12	MOC7-O4-3-8	-			-	+	1
C13	MOC7-O4-3-9	-		+	-	-	1
C14	MOC7-O4-3-11	-			-	+	1
C15	MOC8-O4-4-5	-			-	+	1
C16	MOC8-O4-4-6	-			-	+	1
C17	MOC2-O4-5-10	-		+	-	-	1
C18	MOC2-O4-5-11	-		+	-	-	1
C19	MOC1-O4-6-5	-		+	-	+	2
C20	MOC1-O4-6-6	-		+	-	-	1
C21	MOC1-O4-6-7	-		+	-	-	1
C22	MOC1-O4-6-8	-			-	+	1
C23	MOC1-O4-6-9	-			-	+	1
C24	MOC1-O4-6-10	-			-	+	1
C25	MOC6-O4-7-6	-	-	+	-	-	1
C26	MOC6-O4-7-7	-	-	-	-	+	1
C27	MOC6-O4-7-8	-	-	-	-	+	1
C28	MOC6-O4-7-9	-	-	+	-	-	1
C29	MOC6-O4-7-10	-	-	-	-	-	

Serial Number	Rat ID	Puberty	Testis	Kidney	Tumor	Obesity	Total Disease
LD1	MOLD9-O4-1-9	-	+	-	-	+	2
LD2	MOLD9-O4-1-10	-	-	+	-	+	2
LD3	MOLD9-O4-1-11	-	-	+	-	-	1
LD4	MOLD2-O4-2-8	-	-	+	-	+	2
LD5	MOLD2-O4-2-9	-	-	+	-	-	1
LD6	MOLD2-O4-2-10	-	-	+	-	+	2
LD7	MOLD2-O4-2-11	-	-	+	-	+	2
LD8	MOLD2-O4-2-12	-	-	+	-	-	1
LD9	MOLD3-O4-3-8	-	-	+	-	-	1
LD10	MOLD3-O4-3-9	-	-	+	-	-	1
LD11	MOLD3-O4-3-10	-	+	+	-	-	2

LD12	MOLD1-O4-4-7	-	+	+	-	-	2
LD13	MOLD1-O4-4-8	-	+	+	-	+	3
LD14	MOLD1-O4-4-9	-	-	-	-	+	1
LD15	MOLD8-O4-5-6	-	-	+	-	+	2
LD16	MOLD8-O4-5-7	-			-	+	1
LD17	MOLD8-O4-5-8	-			-	+	1

A '+' indicates the presence; A '-' indicates the absence of disease; A blank cell indicates 'not determined.' Animal IDs with a 'C' belong to Control group, those with a 'LD' belong to lower dose DDT group. See 'Materials and Methods' section for disease assessment in rats. The number of animals per litter (litter representation) mean  $\pm$  SEM used for each specific disease/abnormality assessment within the control or lower dose DDT lineages were not found to be statistically different ( $p>0.05$ ), so no litter bias detected.