

Primers used for genotyping and real-time RT-PCR

Gene	Sense primer(s)	Antisense primer(s)
<i>Bid</i>	CAACATTGCCAGACATCTCGC	TGACAGTCGTGTGGAAGACATCAC
<i>Cdc6</i>	AGTTCTGTGCCCGCAAAGTG	AGCAGCAAAGAGCAAACCAGG
<i>cry-cre</i>	GCATTCCAGCTGCTGACG	CAGCCCGGACCGACGATGAAG
<i>CycA2</i>	CCCCCAGAAGTAGCAGACTTTGTG	TGTGACTGTGTAGAGAGCCAAGTGG
<i>CycE1</i>	GAGCAGGAGACAGAATGACCAAAC	ACAGCAACCTACAACACCCGAG
<i>Dhfr</i>	GTAGAGAACTCAAAGAACCACCACG	TTTTCTCTGGACCTCAGAGAG
<i>E2f1</i>	AGAAGTCACGCTATGAAACCTCAC AGTGCCAGCGGGGCTGCTAAAG	AGCCACTGGATATGATTCTTGGAC
<i>E2f2</i>	CCTGAGCGAGTCGGAGGATGG ACCAAAGAACGGAGCCGGTTGGCG	GCCCCTAACACATGCACCCATTGG
<i>E2f3</i>	TGTGAATAATTTTTGGCATGTTTT	AAGGGAAGGGAAAATTAATCTGA CTTATTCTGAGTGTGGACATACCG
<i>Fas/CD95</i>	CGAGAAAATAACATCAAGGAGGGC	TGCTGGCAAAGAGAACACACC
<i>Gadd45a</i>	ACGACATCAACATCCTGCGG	CAAAGTCATCTCTGAGCCCTCG
<i>Gapdh</i>	CGGTGTGAACGGATTTGGC	TTTGATGTTAGTGGGGTCTCGC
<i>Irdd/Pidd</i>	GCACCGTGTGAATCTCATTGC	CAGGAAGTGAACCCCGATAAAAG
<i>Mcm3</i>	CGCAGGAAGAATGAAAAGAGGG	CTGAGGAAGCAGGAAGTGAGAGTC
<i>p19^{Arf}</i>	CACCGGAATCCTGGACCAG	GCAGTTCGAATCTGCACCGT
<i>p21^{Cip1}</i>	CTTGTCGCTGTCTTGCACTC	CTCCTGACCCACAGCAGAAG
<i>Pola</i>	TCTTCCCCTTCATTCTCCCG	TCTTCCCCTTCATTCTCCCG
<i>Pcna</i>	AGGCTCTCAAAGACCTCATCAATG	CCTGTTCTGGGATTCCAAGTTG
<i>ROSA26 Rep</i>	AAAGTCGCTCTGAGTTGTTAT	GGAGCGGGAGAAATGGATAT GCGAAGAGTTTGTCTCAACC