

		Volumetry					T2 relaxivity					
		STR	CTX	HIPP	CC	WB	STR	CTX	HIPP	CC	MUSC	
Male R6/1s	Total mHTT	STR	0.054	0.03	-0.176	-0.571	0.042	0.654	0.579	0.646	-0.276	0.365
		CTX	0.268	0.179	-0.259	-0.486	-0.129	0.767	0.809	0.788	-0.374	0.33
		DG	0.233	-0.169	-0.555	-0.579	0.059	0.264	0.2	0.452	-0.303	0.382
		CA1	-0.021	-0.458	-0.309	-0.507	0.146	0.327	0.156	0.338	0.062	0.296
		CA2	0.587	-0.163	-0.554	0.018	0.319	-0.23	-0.465	0.116	-0.434	0.043
	CA3	0.189	-0.572	-0.333	-0.253	0.457	0.015	-0.229	0.074	0.293	0.143	
	Nuc mHTT	STR	-0.186	-0.022	-0.19	-0.36	-0.332	0.422	0.479	0.296	-0.096	0.352
		CTX	0.058	0.209	-0.006	-0.091	-0.291	0.692	0.715	0.543	-0.207	0.196
		DG	-0.24	-0.093	-0.106	-0.311	-0.128	0.182	0.2	0.004	0.152	0.292
		CA1	0.218	-0.375	-0.537	-0.203	0.075	-0.334	-0.422	-0.145	0.129	0.199
CA2		0.129	-0.615	-0.191	0.356	0.153	-0.149	-0.419	-0.105	0.279	-0.129	
CA3	-0.055	-0.501	-0.211	0.053	0.223	-0.014	-0.211	-0.151	0.45	0.179		
Female R6/1s	Total mHTT	STR	-0.634	0.125	-0.26	0.156	-0.169	-0.622	-0.65	-0.563	-0.217	-0.003
		CTX	-0.516	-0.198	-0.265	-0.076	0.128	0.243	0.073	0.221	0.053	0.328
		DG	-0.632	0.024	-0.674	-0.035	-0.302	-0.284	-0.401	-0.434	-0.258	-0.385
		CA1	-0.228	0.004	-0.2	0.558	-0.415	-0.454	-0.649	-0.279	-0.058	-0.149
		CA2	-0.309	0.097	-0.219	0.561	-0.251	-0.599	-0.737	-0.572	-0.276	-0.202
	CA3	-0.528	-0.074	-0.464	0.319	-0.268	-0.28	-0.451	-0.27	-0.08	-0.016	
	Nuc mHTT	STR	-0.209	0.543	0.034	0.466	0.172	-0.727	-0.716	-0.809	-0.352	-0.132
		CTX	-0.103	0.024	-0.179	-0.071	0.571	0.533	0.366	0.165	-0.467	-0.179
		DG	-0.012	0.588	0.332	0.223	0.335	-0.455	-0.804	-0.538	-0.359	-0.269
		CA1	-0.096	0.172	0.056	0.303	-0.021	-0.195	-0.687	-0.229	-0.118	-0.155
CA2		-0.63	-0.189	-0.895	-0.375	-0.528	0.169	0.147	0.178	0.467	-0.171	
CA3	-0.29	0.232	-0.202	0.567	-0.099	-0.59	-0.69	-0.628	-0.313	-0.189		

Pearson r value >0.5 >0.6 >0.7 >0.8