

	Male R6/1s					Female R6/1s					
	LMA	GS FL	GS 4L	TM CL	TM CR	LMA	GS FL	GS 4L	TM CL	TM CR	
Total mHTT	STR	0.16	0.179	-0.042	0.154	-0.327	0.274	-0.367	0.511	0.396	-0.646
	CTX	0.148	-0.431	-0.281	-0.051	-0.562	-0.012	0.318	0.445	0.128	-0.225
	DG	-0.107	0.2	0.055	0.24	-0.098	-0.355	0.205	0.337	0.374	-0.07
	CA1	0.014	0.494	0.092	0.519	0.308	0.293	0.072	0.472	0.142	-0.303
	CA2	-0.038	0.182	-0.181	0.709	0.47	0.219	0.184	0.664	0.14	-0.286
	CA3	-0.131	0.591	0.099	0.79	0.547	0.007	0.321	0.476	0.163	-0.204
Nuc mHTT	STR	0.23	-0.172	-0.301	-0.278	-0.013	0.246	-0.145	0.677	0.269	-0.324
	CTX	0.464	-0.593	-0.589	-0.245	-0.222	-0.577	0.79	0.247	-0.05	0.551
	DG	0.109	0.133	-0.234	-0.163	0.206	0.442	-0.202	0.872	0.021	-0.516
	CA1	-0.221	0.118	-0.16	0.244	0.514	0.365	0.18	0.77	-0.209	-0.377
	CA2	0.215	0.136	-0.199	0.653	0.925*	-0.484	0.14	-0.073	0.573	0.122
	CA3	0.186	0.324	-0.271	0.398	0.781	0.109	0.289	0.717	0.18	-0.195

Pearson r value >0.5 >0.6 >0.7 >0.8