Decision support rule ID	Decision support title	Reminder number	Reminder short version	Reason for exclusion
rdiovascu	lar diseases (IX, Diseases of the circulator	y system)		
	Initial dose of angiotensin-receptor			
	blockers in patients with congestive heart		Losartan treatment about to start - too	
scr00279	failure	1	high initial dose?	not triggered in population
		_	Candesartan treatment about to start -	
		2	too high initial dose?	
		2	Valsartan treatment about to start - too	
		3	high initial dose?	
	Aspirin after endovascular treatment or		This patient has undergone endovascular	
scr00426	bypass surgery to the lower limbs	1	treatment - aspirin is indicated.	not triggered in population
	Need to intensify dyslipidaemia treatment		Cardiovascular disease and high LDL-	
	in patients with established cardiovascular		cholesterol - intensify dyslipidaemia	
scr00437	disease	1	treatment?	not calculable
			Cardiovascular disease and LDL-	
		2	5 5 5	
			Diabetes, microalbuminuria and high	
		2	LDL-cholesterol - intensify dyslipidaemia treatment?	
		3		
		4	Diabetes and LDL-cholesterol slightly above target	
	Drug therapy for severe pulmonary	4	Severe pulmonary hypertension -	
scr00577	hypertension	1		not triggered in population
		·		
docrine a	nd metabolic diseases(IV, Endocrine, nu	itritional an	-	
	Routine procedures when starting a		Glitazone treatment about to start -	
scr00020	glitazone	1	contraindicated due to heart failure?	not calculable

Glitazone treatment about to start - 2 contraindicated due to insulin treatment? Glitazone treatment about to start - information given about the risk of 3 anaemia? Glitazone treatment about to start – 4 possible interactions noted? Glitazone treatment about to start - 5 weight monitoring arranged? Diabetes risk test for patients with BMI scr00086 above 30 Diagnosing T3 hyperthyroidism Laboratory results in patients with Type 1 scr00265 diabetes 1 Coverweight - diabetes risk test indicated not calculable Type 1 diabetes with suboptimal 2 glycaemic control 3 Type 1 diabetes and high LDL-cholesterol Type 1 diabetes and raised LDL- 4 cholesterol 5 Type 1 diabetes and renal failure	Decision support rule I D	Decision Support title	Reminder number	Reminder short version	Reason for exclusion
 6 Type 1 diabetes and proteinuria 7 Type 1 diabetes and microalbuminuria 	scr00090	above 30 Diagnosing T3 hyperthyroidism Laboratory results in patients with Type 1	3 4 5 1 1 1 2	 contraindicated due to insulin treatment? Glitazone treatment about to start - information given about the risk of anaemia? Glitazone treatment about to start - possible interactions noted? Glitazone treatment about to start - weight monitoring arranged? Overweight - diabetes risk test indicated Low TSH but normal T4 - check T3? Type 1 diabetes with poor glycaemic control Type 1 diabetes and high LDL-cholesterol Type 1 diabetes and raised LDL- cholesterol Type 1 diabetes and renal failure Type 1 diabetes and proteinuria 	not calculable
Gastrointestinal diseases (XI, Diseases of the digestive system) Helicobacter eradication in patients with a Bleeding peptic ulcer - Helicobacter pylori	Gastrointes		ive system)		
scr00509 bleeding ulcer 1 successfully eradicated? not triggered in population	scr00509	· · · · · · · · · · · · · · · · · · ·	1		not triggered in population

Decision					
support		Reminder			
rule I D	Decision support title	number	Reminder short version	Reason for exclusion	
			Menorrhagia and severe anaemia -		
scr00070	Anaemia in patients with menorrhagia	1	consult a specialist?	not calculable	
			Menorrhagia and moderate anaemia - start investigations into the cause of		
		2	anaemia?		
		3	Menorrhagia - check haemoglobin?		
	Polycystic ovary syndrome (PCOS) and		PCOS - give information about risks		
scr00006	metabolic risks	1	related to metabolic syndrome.	not triggered in population	
		2	PCOS - check blood glucose?		
		3	PCOS - check lipid profile?		
			PCOS and the patient is overweight -		
		4	suggest weight reduction?		
			Recurrent premenstrual syndrome - try		
scr00535	SSRIs in premenstrual syndrome	1	SSRIs?	not triggered in population	
	Phosphodiesterase inhibitors for erectile				
	dysfunction in patients with diabetes		Erectile dysfunction and diabetes - try a		
scr00599	mellitus	1	phosphodiesterase inhibitor?	not triggered in population	
Haematolog	ical diseases (III, Diseases of the blood	d and blood-f	forming organs and certain disorders in	volving the immune mechai	nisr
0			High haemoglobin with pancytosis -	5	
scr00091	Diagnosing polycythaemia vera	1	polycythaemia vera?	not calculable	
Infectious d	iseases (I, Certain infectious and parac	itic diseases			
	Metronidazole in preference to		Clostridium difficile diarrhoea - consider		
	vancomycin as the first choice in		using metronidazole instead of		
scr00528	Clostridium difficile diarrhoea	1	vancomycin?	not triggered in population	
Mental and	behavioural disorders (V)				
	High MCV in men suggesting alcohol		Increased MCV without anaemia - alcohol		
scr00043	abuse	1	abuse?	not calculable	

support rule ID	Decision support title	Reminder number	Reminder short version	Reason for exclusion
	Depression associated with other	Hamber		
	diseases, medications or addictive		Newly diagnosed depression - possible	
scr00103	substances	1	aetiological factors?	not calculable
			Newly diagnosed depression - possible	Reason for exclusion not calculable not calculable
		2	aetiological factors?	
			Newly diagnosed depression - possible	
		3	aetiological factors?	
	Laboratory tests before antipsychotic		Antipsychotic medication about to start -	
scr00124	treatment	1	test results missing?	not calculable
			SSRI medication about to start - check	
scr00125	Laboratory tests before SSRI treatment	1	full blood count (including platelets)?	not calculable
			SSRI medication about to start in a	
		0	patient with diabetes - check fasting	
		2	glucose?	
		2	SSRI medication about to start in a	
		3	patient taking warfarin - check INR?	
	Laboratory tests before tricyclic		Tricyclic antidepressant treatment about to start - check appropriate laboratory	
scr00126	antidepressant treatment	1	tests?	not triggered in population
30100120	Laboratory tests before duloxetine,	•	Antidepressive medication about to start	not inggered in population
	milnacipran, venlafaxine and trazodone		- check full blood count (including	
scr00127	treatment	1	platelets)?	not calculable
			Antidepressive medication about to start	
			- check ECG if the patient has cardiac	
		2	•	
			Antidepressive medication about to start	
		3	- check INR?	

Musculoskeletal diseases (XIII, Diseases of the musculoskeletal system and connective tissue)

Decision support rule ID	Decision support title	Reminder number	Reminder short version	Reason for exclusion	
scr00604	Topical NSAIDs for lateral epicondylitis	1	Lateral epicondylitis - try topical NSAIDs?	not triggered in population	
Respiratory diseases (X, Diseases of the respiratory system)					
scr00592	Antibiotics for COPD exacerbation	1	COPD exacerbation - consider antibiotics?	not calculable	