

Table S4. Primers used for chromatin immunoprecipitation

| Gene | Forward Primer | Reverse Primer |
|---------------|-----------------------|--------------------------|
| <i>18S</i> | TCAATCTCGGGTGGCTGAACG | GGACCAGAGCGAAAGCATTG |
| <i>THRA</i> | AGGTCACCAGATGGAAAGCG | AGTGATAACCAGTTGCCTTGTC |
| <i>THRB</i> | GGACAAGCACCCATCGTGAAT | CTCTGGTAATTGCTGGTGTGAT |
| <i>LDLR</i> | CGACAGATGCGAAAGAAACGA | CCCGGATTTGCAGGTGACA |
| <i>BCL3</i> | CCGGAGGCGCTTTACTACC | TAGGGGTGTAGGCAGGTTAC |
| <i>NCOR2</i> | TGCAGATCATCTACGACGAGA | TCCGCATCGCCTGGTTTATTT |
| <i>ADSSL1</i> | CGGACGCCGACATCATCAG | CCCGTTGCCAATGAAGGACA |
| <i>SOX7</i> | AGCCGGAGCAGACCTTCTT | GCCGGGGAGTAATAGGCAG |
| <i>ADM</i> | ATGAAGCTGGTTTCCGTCG | GCCCACTTATTCCAATTCTTTTCG |