

Correction. In the article "Membrane-bound neuraminidase from calf brain: Regulation of oligosialoganglioside degradation by membrane fluidity and membrane components" by K. Sandoff and B. Pallmann, which appeared in the January 1978 issue of *Proc. Natl. Acad. Sci. USA* (75, 122-126), an undetected printer's error occurred in the second paragraph of *Results*. Line 18 should read: "centrations of 0.1 as well as 2.0 mM. On the contrary, the deg."

Also, the description of the incubation mixture in the legends of Figs. 1 and 4 is slightly in error. The buffer used throughout in this paper was 0.15 M sodium acetate that had been titrated to pH 4.2 with acetic acid.

Correction. In the article "The disulfide bond connecting the chains of ricin" by Douglas A. Lappi, Wolfgang Kapmeyer, Janice M. Beglau, and Nathan O. Kaplan, which appeared in the March 1978 issue of *Proc. Natl. Acad. Sci. USA* (75, 1096-1100), the authors request that the following paragraph be added on p. 1097, preceding the paragraph entitled *Molecular Sieve Chromatography*:

Recombination of Separated A and B Chains. Both chains were dialyzed separately against 10 mM phosphate buffer (pH 8.0) with 10 mM lactose. The solutions of both chains were mixed in equimolar amounts, giving a final protein concentration of 0.5 mg/ml. This mixture was then made 0.6 mM in oxidized glutathione and 0.2 mM in reduced glutathione. After incubation for 24 hr at 22°, the recombination was complete as judged by NaDodSO₄/polyacrylamide electrophoresis.