SUPPORTING MATERIAL

Interferon β protects against lethal endotoxic and septic shock through SIRT1 upregulation


Chae-Hwa Yoo*, †, Ji-Hyun Yeom*, †, Jin-Ju Heo*, Eun-Kyung Song*, ¶, Sang-Il Lee*, ¶, and Myung-Kwan Han*, §, ¶

*Department of Microbiology, §Institute for Medical Science, Chonbuk National University Medical School, Jeonju 561-182, Republic of Korea


[†]Department of Internal Medicine, Institute of Health Science, Gyeongsang National University College of Medicine, Jinju 660-702, Republic of Korea

[†]Both authors contributed equally to this work


[¶]Correspondence: E.-K. Song, S.-I. Lee or M.-K. Han, Department of Microbiology, Chonbuk National University Medical School, Jeonju 561-182, Republic of Korea. E-mail: silverysk@hanmail.net (E.-K.S.), goldgu@gnu.ac.kr (S.-I.L.) or iamtom@chonbuk.ac.kr (M.-K.H.)




Supplementary Figure S1 Full-length blots for Figure 1B




Supplementary Figure S2 Full-length blots for Figure 1D




Supplementary Figure S3 Full-length blots for Figure 2A




Supplementary Figure S4 Full-length blots for Figure 2B




Supplementary Figure S5 Full-length blots for Figure 2C




Supplementary Figure S6 Full-length blots for Figure 3A




Supplementary Figure S7 Full-length blots for Figure 3B




Supplementary Figure S8 Full-length blots for Figure 4A





Supplementary Figure S9 Full-length blots for Figure 4B



Supplementary Figure S10 Full-length blots for Figure 6