

Supplemental Table 1: Correlations between Variables in the Multivariable Logistic Regression Model

Variables	1	2	3	4	5	6	7	8	9	10	11	12	13
1. Marital status	--												
2. Health rating	-.06	--											
3. Place admitted from	.01	-.07	--										
4. Facility size	.05	.06	-.05	--									
5. For profit status	-.02	.06	-.05	.12	--								
6. Bathroom in room	-.07	-.04	.10	-.50	-.15	--							
7. Depression	-.02	.07	-.04	.08	.03	-.08	--						
8. Stroke	-.05	.09	-.04	.01	.02	.02	.05	--					
9. Bowel incontinence	-.07	.26	-.03	.19	.15	-.12	.05	.08	--				
10. Bladder incontinence	-.06	.25	-.02	.14	.11	-.01	.07	.08	.58	--			
11. Physical impairments	-.07	.32	-.01	-.03	-.01	.11	.03	.11	.24	.27	--		
12. Visual impairments	-.01	-.08	.01	-.03	-.02	<.01	-.01	-.01	-.08	-.08	-.11	--	
13. Hearing impairment	.01	.11	.05	-.05	-.06	.10	-.03	.02	.05	.09	.21	-.15	--
14. Cane/Walker	-.01	.06	.02	-.11	-.09	.17	<-.01	.05	-.07	.01	.28	-.06	.17

Variables	1	2	3	4	5	6	7	8	9	10	11	12	13
15. Assistance walking	-.01	.19	-.02	<-.01	<-.01	.08	-.01	.11	.15	.20	.33	-.07	.18
16. Assistance going outside	.01	<.01	.02	<-.01	-.04	.05	.01	.02	-.01	.06	.12	-.03	.07
17. Bathing	-.01	.24	-.02	.07	.09	.02	.01	.07	.28	.36	.35	-.07	.12
18. Dressing	-.06	.29	-.02	.11	.14	-.03	.01	.09	.40	.46	.33	-.08	.11
19. Transferring	-.05	.17	-.03	.10	.07	-.03	.01	.07	.23	.25	.19	-.07	.09
20. IADLs	.08	.03	-.02	.12	-.01	-.09	.07	<.01	-.03	.05	.06	-.05	<.01

Supplemental Table 1

Continued

Variables	14	15	16	17	18	19	20
14. Cane/Walker	--						
15. Assistance walking	.51	--					
16. Assistance going outside	.27	.37	--				
17. Bathing	.14	.27	.21	--			
18. Dressing	.04	.26	.14	.58	--		
19. Transferring	.14	.36	.22	.22	.34	--	
20. IADLs	.04	<.01	.23	.17	.10	.02	--