

Supplementary Appendix

This appendix has been provided by the authors to give readers additional information about their work.

Supplement to: Persaud D, Gay H, Ziemniak C, et al. Absence of detectable HIV-1 viremia after treatment cessation in an infant. *N Engl J Med* 2013;369:1828-35. DOI: 10.1056/NEJMoa1302976

HIV Remission Following Very Early Antiretroviral Therapy of an Infant

Deborah Persaud, Hannah Gay, Carrie Ziemniak, Ya Hui Chen, Michael Piatak, Jr., Tae-Wook Chun, Matthew Strain, Douglas Richman, and Katherine Luzuriaga.

Table of Contents

Supplementary Figure 12

Supplementary Figure 23

Supplementary Figures




Figure S1. Infant HIV-1 antibodies are not detectable by Western blot

Lane 1, negative control; Lanes 2 and 3, positive controls; Lane 4, infant (C116) at 24 months; Lane 5, 26 months of age; Lane 6, 28 months of age; Lane 7, Maternal Western Blot test results.




Figure S2. Replication kinetics of maternal replication competent viral clones

Fitness of viral isolates (5M7 and 5M8) from maternal peripheral blood in CD4+ T-cells from a healthy donor.; p24 production in culture supernatant was measured over the course of seven days compared with the reference strain IIIB.