

HIV-1 persistence in CD4⁺ T cells with stem cell-like properties

Supplementary Material

Maria J. Buzon^{1,2}, Hong Sun^{2,3}, Chun Li², Amy Shaw², Katherine Seiss², Zhengyu Ouyang², Enrique Martin-Gayo², Jin Leng², Timothy J. Henrich⁴, Jonathan Z. Li⁴,
Florescia Pereyra^{2,4}, Ryan Zurakowski⁵, Bruce D. Walker^{2,6},
Eric S. Rosenberg¹, Xu G. Yu², Mathias Lichterfeld¹

¹Infectious Disease Division, Massachusetts General Hospital, Boston, MA

²Ragon Institute of MGH, MIT and Harvard, Cambridge, MA

³AIDS Research Center, The First Affiliated Hospital of China Medical University, Shenyang, Liaoning Province, P. R. China

⁴Infectious Disease Division, Brigham and Women's Hospital, Boston, MA

⁵Department of Electrical and Computer Engineering, University of Delaware, Newark, DE

⁶Howard Hughes Medical Institute, Chevy Chase, MD

Corresponding author:
Mathias Lichterfeld, M. D., Ph. D.
Assistant Professor of Medicine
Infectious Disease Division
Massachusetts General Hospital
55 Fruit Street, Jackson 5
Boston, MA 02114, USA