

ESM Table 1 Characteristics of non-diabetic donors (1-19) used for flow cytometry

Patient Number	Gender	Age	BMI	GSIS ^a (First/second)	Number of CD45 ⁺ cells/1000 IEQ
1	F	24	38.1	ND	ND
2	M	40	28.7	ND	ND
3	M	53	29.4	ND	ND
4	M	54	25	2.23	2.4x10 ⁵
5	M	28	36.3	ND	0.7x10 ⁵
6	F	47	34.4	1.5	4.2x10 ⁵
7	F	49	33.1	2.11	6.9 x10 ⁵
8	F	46	30.5	2.92	6.0 x10 ⁵
9	M	39	33	2.61	ND
10	M	54	28.56	2.96	0.4 x10 ⁵
11	F	37	18.7	ND	0.1 x10 ⁵
12	M	56	26.7	2.51	16 x10 ⁵
13	M	34	21	1.38	1.4 x10 ⁵
14	F	70	26.8	1.78	0.6 x10 ⁵
15	M	62	18.1	ND	0.5 x10 ⁵
16	M	47	33.1	ND	1.4 x10 ⁵
17	M	16	21.5	ND	0.7 x10 ⁵
18	M	31	29.9	1.77	0.9 x10 ⁵
19	M	51	25.9	1.54	1.1 x10 ⁵

ND: not done.

^aFirst/second peak of glucose stimulated insulin secretion (GSIS).