

Supplementary Information

- Figure S1.** ^1H NMR in CD_3OD for compound **1**.
Figure S2. ^1H NMR-2 in CD_3OD for compound **1**.
Figure S3. ^{13}C NMR in CD_3OD for compound **1**.
Figure S4. COSY in CD_3OD for compound **1**.
Figure S5. COSY-2 in CD_3OD for compound **1**.
Figure S8. HSQC in CD_3OD for compound **1**.
Figure S7. HSQC-2 in CD_3OD for compound **1**.
Figure S8. HMBC in CD_3OD for compound **1**.
Figure S9. HMBC-2 in CD_3OD for compound **1**.
Figure S10. NOESY in CD_3OD for compound **1**.
Figure S11. NOESY-2 in CD_3OD for compound **1**.
Figure S12. ^1H NMR in CD_3OD for compound **2**.
Figure S13. ^1H NMR-2 in CD_3OD for compound **2**.
Figure S14. ^{13}C NMR in CD_3OD for compound **2**.
Figure S15. COSY in CD_3OD for compound **2**.
Figure S16. HSQC in CD_3OD for compound **2**.
Figure S17. HSQC-2 in CD_3OD for compound **2**.
Figure S18. HMBC in CD_3OD for compound **2**.
Figure S19. HMBC-2 in CD_3OD for compound **2**.
Figure S20. HR-TOF-MS in MeOH for compound **1**.
Figure S21. HR-TOF-MS in MeOH for compound **2**.



Figure S1. ^1H NMR in CD_3OD for compound 1.Figure S2. ^1H NMR-2 in CD_3OD for compound 1.



Figure S3. ^{13}C NMR in CD_3OD for compound 1.**Figure S4.** COSY in CD_3OD for compound 1.



Figure S5. COSY-2 in CD₃OD for compound 1.**Figure S6.** HSQC in CD₃OD for compound 1.



Figure S7. HSQC-2 in CD₃OD for compound **1**.**Figure S8.** HMBC in CD₃OD for compound **1**.



Figure S9. HMBC-2 in CD₃OD for compound 1.**Figure S10.** NOESY in CD₃OD for compound 1.



Figure S11. NOESY-2 in CD₃OD for compound 1.**Figure S12.** ¹H NMR in CD₃OD for compound 2.



Figure S13. ^1H NMR-2 in CD_3OD for compound 2.Figure S14. ^{13}C NMR in CD_3OD for compound 2.



Figure S15. COSY in CD₃OD for compound 2.**Figure S16.** HSQC in CD₃OD for compound 2.



Figure S17. HSQC-2 in CD₃OD for compound 2.**Figure S18.** HMBC in CD₃OD for compound 2.


Figure S19. HMBC-2 in CD₃OD for compound 2.

Figure S20. HR-TOF-MS in MeOH for compound 1.

Acquisition Parameter

Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.8 Bar
Focus	Active			Set Dry Heater	200 °C
Scan Begin	50 m/z	Set Capillary	4500 V	Set Dry Gas	5.0 l/min
Scan End	1000 m/z	Set End Plate Offset	-500 V	Set Divert Valve	Waste





Figure S21. HR-TOF-MS in MeOH for compound 2.

© 2014 by the authors; licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution license (<http://creativecommons.org/licenses/by/3.0/>).