

**Supporting Table 2A. Key Laboratory Results At Study Entry: Liver Tests**

<b>Race/Ethnicity - Gender</b>	<b>Bilirubin mg/dL Mean ± SD (n)</b>	<b>AST U/L Median and IQR (n)</b>	<b>ALT U/L Median and IQR (n)</b>	<b>ALKP U/L Median and IQR (n)</b>	<b>Albumin g/dL Median and IQR (n)</b>	<b>INR Median and IQR (n)</b>
<b>Total Group</b>	20.8 ± 11.5 (133)	551 273-1127 (133)	574 257-1423 (131)	166 120-222 (128)	2.4 2.1-2.7 (125)	2.6 1.9-4.1 (130)
- <b>Women</b>		643	681	166	2.5	2.7
- <b>Men</b>	20.1 ± 10.9 (94)	291-1322 (94)	264-1402 (94)	128-225 (90)	2.2-2.8 (88)	2.0-4.4 (91)
	22.6 ± 12.7 (39)	432 210-1096 (39)	392 225-1419 (37)	155 112-216 (38)	2.3 2.0-2.6 (37)	2.3 1.8-3.6 (39)
<b>White</b>	19.8± 12.9 (76)	589 272-1370 (76)	562 250-1522 (74)	176 133-244 (73)	2.5 2.2-2.9 (72)	2.4 1.8-3.8 (75)
- <b>Women</b>	19.6± 12.6 (55)	644	758	171	2.5	3.0
- <b>Men</b>	20.2 ± 13.8 (21)	288-1461 (55) 424 205 ± 1106 (21)	262-1603 (55) 323 199-915 (19)	133-236 (53) 192 147-266 (20)	2.2-2.8 (52) 2.4 2.3-3.1 (20)	1.9-4.1 (54) 1.9 1.7-2.5 (21)
<b>African American</b>	23.4 ± 8.8 (21)	623 390-1108 (21)	571 275-1277 (21)	156 122-222 (19)	2.4 2.2-2.6 (19)	2.6 2.3-4.3 (19)
- <b>Women</b>	21.1 ± 5.3 (15)	623	574	174	2.5	2.7
- <b>Men</b>	29.1 ± 13.3 (6)	391-1200 (15) 550 246-1021 (6)	382-1283 (15) 300 257-696 (6)	147-226 (13) 121 105-141 (6)	2.3-2.8 (13) 2.2 2.1-2.4 (6)	2.3-5.0 (13) 2.5 1.9-2.8 (6)
<b>Hispanic</b>	19.4 ± 8.2 (20)	657 341-393 (20)	795 296-1302 (20)	145 117-185 (20)	2.4 2.1-2.7 (20)	2.9 2.2-6.2 (20)
- <b>Women</b>	18.7 ± 8.9 (16)	657	681	145	2.5	2.7
- <b>Men</b>	22.1 ± 3.9 (4)	337-986 (16) 728 459-973 (4)	296-1193 (16) 1214 666-1715 (4)	117-172 (16) 160 128-222 (4)	2.2-2.7 (16) 2.0 1.6-2.5 (4)	2.1-4.8 (16) 7.6 6.0-8.6 (4)
<b>Asian</b>	25.9± 11.2 (9)	847 347 – 1153 (9)	754 471-837 (9)	119 110-216 (9)	2.4 2.0-2.4 (7)	2.3 1.9-4.6 (9)
- <b>Women</b>	24.0± 12.6 (5)	847	754	128	2.1	1.9
- <b>Men</b>	28.4 ± 10.6 (4)	347-1012 (5) 452 383-1250 (4)	172-783 (5) 543 525-2979 (4)	119-220 (5) 110 110-143 (4)	1.7-2.6 (4) 2.3 2.3-2.4 (3)	1.9-2.3 (5) 3.1 2.8-6.5 (4)
<b>Native American</b>	25.6 ± 9.4 (3)	241 75-978* (3)	392 169-1574* (3)	109 85-170* (3)	1.9 1.9-2.7* (3)	3.9 2.9-5.4* (93)
- <b>Women</b>	-	-	-	-	-	-
- <b>Men</b>	25.6 ± 9.4 (3)	241 75-978* (3)	392 169-1574* (3)	109 85-170* (3)	1.9 1.9-2.7* (3)	3.9 2.9-5.4* (3)
<b>Hawaiian/Pacific Islander</b>	4.3 (1)	65 (1)	39 (1)	86 (1)	1.2 (1)	1.9 (1)
- <b>Women</b>	-	-	-	-	-	-
- <b>Men</b>	4.3 (1)	65 (1)	39 (1)	86 (1)	1.2 (1)	1.9 (1)

<b>Other</b>	24.5 ± 4.0 (3)	205	264	213	1.9	2.9
- <b>Women</b>	24.5 ± 4.0 (3)	75-671* (3)	127-269* (3)	164-243* (3)	1.8-2.1* (3)	2.0-5.5* (3)
- <b>Men</b>	-	205 (3)	264 (3)	213	1.9	2.9
		75-671* (3)	127-269* (3)	164-243* (3)	1.8-2.1* (3)	2.0-5.5* (3)
		-	-	-	-	-

AST = aspartate aminotransferase

ALT = alanine aminotransferase

ALKP = alkaline phosphatase

INR = international normal rate

SD = Standard deviation

IQR = Interquartile range, \*range for 3 subjects

**Supporting Table 2B. Key Laboratory Results At Study Entry: Hemograms and Creatinine**

Race/Ethnicity - Gender	Hb g/dL	WBC 10 <sup>6</sup> /μL	Platelets 10 <sup>6</sup> /μL	Creatinine mg/dL
	Mean ± SD	Mean ± SD	Mean ± SD	Median and IQR (n)
<b>Total Group</b>	11.5± 2.6 (132)	13.5 ± 7.4 (132)	168 ± 91 (132)	1.2 0.8-2.8 (133)
- <b>Women</b>	11.2± 2.4 (93)	14.0± 7.6 (93)		1.1
- <b>Men</b>	12.3 ± 2.9 (39)	12.3 ± 7.0 (39)	178 ± 92 (93)	0.7-2.2 (94)
			143 ± 82 (39)	1.9 0.9-3.6 (39)
<b>White</b>	11.7± 2.1 (75)	12.6 ± 7.5 (75)	162 ± 91 (75)	1.6 0.8-3.3 (76)
- <b>Women</b>	11.6± 1.9 (54)	13.1 ± 7.1 (54)	175 ± 84 (54)	1.3
- <b>Men</b>	11.9 ± 2.5 (21)	11.4 ± 8.4 (21)	131 ± 100 (21)	0.7-2.8 (55) 3.2 0.9-3.7 (21)
<b>African American</b>	10.4 ± 3.3 (21)	14.1 ± 5.9 (21)	187 ± 112 (21)	1.2 0.9-2.7 (21)
- <b>Women</b>	10.4 ± 3.6 (15)	14.9 ± 6.4 (15)	208 ± 124 (15)	1.1 0.8- 2.1 (15)
- <b>Men</b>	10.2 ± 2.5 (6)	12.2 ± 4.2 (6)	132 ± 40 (6)	4.1 1.6 – 5.6 (6)
<b>Hispanic</b>	11.4 ± 2.7 (20)	16.1 ± 9.1 (20)	186 ± 84 (20)	1.0 0.8-1.1 (20)
- <b>Women</b>	11.0 ± 2.6 (16)	16.1 ± 9.6 (16)	197 ± 87 (16)	1.0
- <b>Men</b>	13.2 ± 2.6 (4)	16.0 ± 7.9 (4)	146 ± 65 (4)	0.8-1.1 (16) 1.1 0.9-1.8 (4)
<b>Asian</b>	12.6 ± 3.6 (10)	14.2 ± 7.2 (10)	125 ± 53 (10)	1.7 0.8-2.5 (10)
- <b>Women</b>	14.8 ± 5.0 (6)	13.3 ± 8.9 (6)	95 ± 28 (6)	2.0 1.1-3.2 (6)
- <b>Men</b>	11.2 ± 1.2 (4)	15.5 ± 4.3 (4)	170 ± 52 (4)	1.0 0.7-2.0 (4)
<b>Native American</b>	13.0 ± 1.9 (3)	11.8 ± 2.4 (3)	201 ± 72 (3)	0.8 0.8-1.1 (3)
- <b>Women</b>	-	-	-	-
- <b>Men</b>	13.0 ± 1.9 (3)	11.8 ± 2.4 (3)	201 ± 72 (3)	0.8 0.8-1.1 (3)

<b>Hawaiian/Pacific Islander</b>	15.3 (1)	7.5 (1)	164 (1)	0.9 (1)
- <b>Women</b>	-	-	-	-
- <b>Men</b>	15.3 (1)	7.5 (1)	164 (1)	0.9 (1)
<b>Other</b>	10.5 ± 2.3 (3)	13.3 ± 1.7 (3)	114 ± 108 (3)	1.5
- <b>Women</b>	10.5 ± 2.3 (3)	13.3 ± 1.7 (3)	114 ± 108 (3)	0.9-1.5 * (3)
- <b>Men</b>	-	-	-	1.5
				0.9-1.5* (3)
				-

Hb = Hemoglobin

WBC = White blood cell count

SD = Standard deviation

IQR = Interquartile range, \*range for 3 subjects