Tables and Figures

Table 1. Additive main effects of childhood adversity and *ADH1B* on alcohol-related phenotypes in 1,143 ever-drinkers

Table 2. Additive interaction effects of childhood adversity and *ADH1B* on Maxdrinks and AUD severity in 1,143 ever-drinkers

Figure 1. Additive interaction between childhood adversity and *ADH1B-rs1229984* on (a) Maxdrinks and (b) AUD severity in 1,143 ever-drinkers

Supplementary Figure 1. Distribution of Maxdrinks and AUD severity in 1,143 ever drinkers

Supplemental Table 1. ADH1B-rs1229984

Meyers et al. 27

Supplemental Table 1. *ADH1B*-rs1229984

Chromosomal Location ^a	N ^b	HWE		Allele	Prevalence (%)		Genotype	Prevalence (%)		Risk status
		χ^2	p- value		Whole set	Drinkers (N=1,143)		Whole set	Drinkers (N=1,143)	_ (prevalence [%] in drinkers)
100239319	1,201	2.04	0.141	Α	28.3	28.2	AA	8.8	9.0	
				G	71.7	71.8	AG	38.9	38.5	Low risk [47.5%]
							GG	52.3	52.5	High risk [52.5%]

HWE = Hardy-Weinberg Equilibrium

^achromosome 4, based upon GRCh37.p5.

^b N = number successfully genotyped.

Supplementary Figure 1. Distribution of Maxdrinks (a) and AUD severity (b) in 1,143 ever drinkers



