

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

Table S1. Item Analysis and Average Severity Scores on Children’s Yale–Brown Obsessive Compulsive Scale for Children With Autism Spectrum Disorder (CYBOCS-ASD) (N=272)

Item	M (SD)	α Value with Item Removed ^a
Time spent	2.86 (.94)	.76
Interference	2.43 (.91)	.76
Distress	2.73 (.86)	.76
Resistance	3.45 (.79)	.79
Control	3.32 (.75)	.77

Note: ^aOverall Cronbach’s alpha = 0.81

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

Table S2. Pearson Correlations Between Children’s Yale–Brown Obsessive Compulsive Scale for Children With Autism Spectrum Disorder (CYBOCS-ASD) Total Scores for Full Sample (N=272)

	<i>r</i>	M (SD)
Child and Adolescent Symptom Inventory (CASI)	.11	14.7 (9.5)
Anxiety Scale	.32*	22.2 (7.6)
PDD scale		
Vineland Adaptive Behavior Scales	-.27*	54.9 (20.9)
Communication	-.30*	46.0 (20.2)
Socialization	-.26*	48.1 (17.4)
Daily Living		
Aberrant Behavior Checklist		
Irritability	.32*	25.4 (9.3)
Social Withdrawal	.31*	15.0 (8.9)
Stereotypy	.31*	8.7 (5.4)
Hyperactivity	.25*	34.1 (8.7)
Inappropriate Speech	.14	5.9 (3.8)

Note: CASI = Child and Adolescent Symptom Inventory; PDD = pervasive developmental disorder.

* $p \leq .001$